



Ms
29/8/99

भारत का राजपत्र The Gazette of India

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 5] नई दिल्ली, शनिवार, जनवरी 30, 1999/भाषा 10, 1920
No. 5] NEW DELHI, SATURDAY, JANUARY 30, 1999/MAGHA 10, 1920

इस भाग में निम्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके

Separate Paging is given to this Part in order that it may be filed as a separate compilation

भाग II—खण्ड 3—उप-खण्ड (1) PART II—Section 3—Subsection (1)

भारत सरकार के मंत्रालयों (रक्षा मंत्रालय को छोड़कर) और केन्द्रीय अधिकारियों (संघ राज्य क्षेत्र प्रशासनों को छोड़कर) द्वारा विधि के अंतर्गत बनाए और जारी किए गए साधारण सांविधिक नियम (जिनमें साधारण प्रकार के आदेश, उप-नियम आदि सम्मिलित हैं)

General Statutory Rules (Including Orders, Bye-laws etc. of a general character) issued by the Ministries of the Government of India (other than the Ministry of Defence) and by the Central Authorities (other than the Administrations of Union Territories)

विधि, न्याय और कम्पनी कार्य मंत्रालय
(विधि कार्य विभाग)

MINISTRY OF LAW, JUSTICE AND COMPANY
AFFAIRS

नई दिल्ली, 22 दिसम्बर, 1998

(Department of Legal Affairs)

New Delhi, the 22nd December, 1998

सा.का.नि. 29—केन्द्रीय सरकार, स्वापक अधिवि और मनः प्रभावी पदार्थ अधिनियम, 1985 (1985 का 61) की धारा 36ग के साथ पठित दंड प्रक्रिया संहिता, 1973 की धारा 24 की उपधारा (2) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, गोवा स्थित न्यायालय के समक्ष स्वापक अधिवि और मनः प्रभावी पदार्थ अधिनियम, 1985 के अधीन कूफन सभी मामलों के संचालन के लिए 6 अप्रैल, 1998 से तीन वर्ष की अवधि का अगले आदेश तक जो भी पूर्वतर हो, श्री डी. एम. धोंड, अधिवक्ता को लोक अभि-ओषक के रूप में नियुक्त करती है और उन्हें नियुक्त किया गया समझा जाएगा।

G.S.R. 29.—In exercise of the powers conferred by sub-section 2 of Section 24 of the Code of Criminal Procedure, 1973 read with Section 36C of the Narcotic Drugs and Psychotropic Substances Act, 1985, the Central Government appoints and shall be deemed to have appointed Shri D. M. Dhond, Advoca as Public Prosecutor for conducting of all cases arising under the Narcotic Drugs and Psychotropic Substances Act, 1985 before the Court at Goa with effect from the 6th April, 1998 for a period of three years or until further orders, whichever is earlier.

[सं. एफ. 28(2)/96-न्या.]

[No. F.23(2)/98-JudL.]

अब्दुल अज़िज़, उपाय विधि सलाहकार

ABDUL AZIZ, Dy. Legal Adviser

(न्याय विभाग)

(Department of Justice)

नई दिल्ली, 12 जनवरी, 1999

New Delhi, the 12th January, 1999

सा.का.नि. 30 :—भारत के संविधान के अनुच्छेद 222 के खंड (2) के अनुसरण में राष्ट्रपति एतद्द्वारा निम्नलिखित आदेश करते हैं अर्थात् :—

G.S.R. 30.—In pursuance of Clause (2) of Article 222 of the Constitution of India, the President hereby makes the following order, namely :—

कि आन्ध्र प्रदेश उच्च न्यायालय के मुख्य न्यायाधीश न्याय-मूर्ति श्री मनमोहन सिंह लिब्रहान, आन्ध्र प्रदेश उच्च न्यायालय के मुख्य न्यायाधीश के रूप में अपनी सेवा अवधि के दौरान अपने वेतन के अतिरिक्त 3000 रु. (केवल तीन हजार रुपये) प्रति माह की दर से प्रतिपूरक भत्ता प्राप्त करने के हकदार होंगे।

That Shri Justice Man Mohan Singh Liberhan, Chief Justice of the Andhra Pradesh High Court, shall be entitled to receive in addition to his salary, a compensatory allowance of Rs. 3000 (Rupees three thousand) per month, for the period of his service as Chief Justice of the Andhra Pradesh High Court.

[सं. के.-11017/1/98 यू. एस. II]

श्रीमती वीना ब्रह्मा, निदेशक (न्याय)

[No. K-11017/1/98-US-II]

SMT. VEENA BRAHMA, Director (Justice)

उद्योग मंत्रालय

(औद्योगिक नीति एवं संवर्धन विभाग)

नई दिल्ली, 21 जनवरी, 1999

सा.का.नि. 31 :—राष्ट्रपति, संविधान के अनुच्छेद 309 के परन्तुक द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए उद्योग मंत्रालय के औद्योगिक नीति और संवर्धन विभाग में आंकड़ा प्रविष्टि प्रचालक श्रेणी 'क' के पद पर भर्ती की पद्धति का विनियमन करने के लिए निम्नलिखित नियम बनाते हैं अर्थात् :—

1. संक्षिप्त नाम और प्रारम्भ : (1) इन नियमों का संक्षिप्त नाम औद्योगिक नीति और संवर्धन विभाग आंकड़ा प्रविष्टि प्रचालक श्रेणी 'क' भर्ती नियम 1999 है।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. पद-संख्या, वर्गीकरण और वेतनमान : उक्त पद की संख्या, उसका वर्गीकरण और उसका वेतनमान वही होगा, जो इन नियमों से उपाबद्ध अनुसूची के स्तम्भ 2 से स्तम्भ 4 में विनिर्दिष्ट हैं।

3. भर्ती की पद्धति, आयु-सीमा और अन्य अर्हताएं आदि : उक्त पद पर भर्ती की पद्धति, आयु-सीमा, अर्हताएं और उससे संबंधित अन्य बातें वे होंगी जो पूर्वोक्त अनुसूची के स्तम्भ 5 से स्तम्भ 14 में विनिर्दिष्ट हैं।

4. निरर्हता : वह व्यक्ति—

(क) जिसने ऐसे व्यक्ति से जिसका पति या जिसकी पत्नी जीवित है, विवाह किया है, या

(ख) जिसने अपने पति या अपनी पत्नी के जीवित रहते हुए किसी व्यक्ति से विवाह किया है,

उक्त पद पर नियुक्ति का पात्र नहीं होगा।

परन्तु यदि केन्द्रीय सरकार का यह समाधान हो जाता है कि ऐसा विवाह ऐसे व्यक्ति और विवाह के अन्य पक्षकार को लागू स्वीय विधि के अधीन अनुमोदित है और ऐसा करने के लिए अन्य आधार हैं तो वह किसी व्यक्ति को इस नियम के प्रवर्तन से छूट दे सकेगी।

5. शिथिल करने की शक्ति : जहां केन्द्रीय सरकार की यह राय है कि ऐसा करना आवश्यक या समीचीन है, वहां वह उसके लिए जो कारण हैं उन्हें लेखबद्ध करके, इन नियमों के किसी उपबन्ध को किसी वर्ग या प्रवर्ग के व्यक्तियों की बाबत, आदेश द्वारा शिथिल कर सकेगी।

6. व्यावृत्ति : इन नियमों की कोई बात, ऐसे आरक्षण, आयु-सीमा में छूट और अन्य रियायतों पर प्रभाव नहीं डालेगी, जिनका केन्द्रीय सरकार द्वारा इस संबंध में समय-समय पर निकाले गये आदेशों के अनुसार अनुसूचित जातियों, अनुसूचित जनजातियों और अन्य विशेष प्रवर्ग के व्यक्तियों के लिए उपबन्ध करना अपेक्षित है।

अनुसूची

पद का नाम	पदों की संख्या	वर्गीकरण	वेतनमान
1	2	3	4
आंकड़ा प्रविष्टि प्रबालक श्रेणी 'क'	03* (तीन) (1999) *कार्यभार के आधार पर परि- वर्तन किया जा सकता है।	साधारण केन्द्रीय सेवा, समूह 'ग' अराजपत्रित अनुसूचिवीय	4000-100-6000 रु०
अचयन-सह-ज्येष्ठता या योग्यता के आधार पर अचयन अथवा अचयन	सेवा में जोड़े गए वर्षों का फायदा केन्द्रीय सिविल सेवा (पेंशन) नियम, 1972 के नियम 30 के अधीन अनुज्ञेय है या नहीं	सीधे भर्ती किये जाने वाले व्यक्तियों के लिए आयु-सीमा	
5	6	7	
लागू नहीं होता	लागू नहीं होता	25 वर्ष (केन्द्रीय सरकार द्वारा जारी किये गये अनुदेशों या आदेशों के अनुसार सरकारी सेवाओं के लिए शिथिल करके 40 वर्ष तक (अनुसूचित जाति/अनुसूचित जनजाति के अभ्यर्थियों के लिए 45 वर्ष तक की जा सकती है।) टिप्पण : आयु-सीमा अवधारित करने के लिए निम्नलिखित तारीख भारत में अभ्यर्थियों से आवेदन प्राप्त करने के लिए नियत की गई अंतिम तारीख होगी। (सिवाय वह अंतिम तारीख जो असम, मेघालय, अरुणाचल प्रदेश, मिजोरम, मणिपुर, नागालैंड, त्रिपुरा, सिक्किम, जम्मू-कश्मीर राज्य के लद्दाख खंड, हिमाचल प्रदेश के लाहौल और स्पीति जिले तथा चम्बा-जिले के पांगी उपखंड, अंदमान और निकोबार द्वीप या लक्षद्वीप के अभ्यर्थियों के लिए विहित की गयी है।)	
सीधे भर्ती किये जाने वाले व्यक्तियों के लिए अपेक्षित शैक्षिक और अन्य अर्हताएं	सीधे भर्ती किये जाने वाले व्यक्तियों के लिए विहित आयु और शैक्षिक अर्हताएं प्रोक्त व्यक्तियों की दशा में लागू होगी या नहीं	परिक्षा की अवधि, यदि कोई हो	
8	9	10	
(क) 12 वां स्तर उत्तीर्ण या समतुल्य	लागू नहीं होता	दो वर्ष	
(ख) आंकड़ा प्रविष्टि कार्य के लिए प्रति घंटा कम से कम 8000 कुंजी अवनमन की गति होनी चाहिए।			
टिप्पण 1 : अर्हताएं अन्त्यथा सुअर्हित अभ्यर्थियों की दशा में मक्षम प्राधिकारी के विवेकानुसार शिथिल की जा सकती है।			

टिप्पण 2 : अनुभव संबंधी अर्हता (अर्हताएं) सक्षम प्राधिकारी के विवेकाबुसार अनुसूचित जातियों और अनुसूचित जनजातियों के अभ्यर्थियों की दशा में तब शिथिल की जा सकती है (हैं) जब वयम के किसी प्रक्रम पर संक्षेप प्राधिकारी की यह राय है कि उनके लिए अपेक्षित रिक्तियों को भरने के लिए अपेक्षित अनुभव रखने वाले उन समुदायों के अभ्यर्थियों के पर्याप्त संख्या में उपलब्ध होने की सम्भावना नहीं है ।

टिप्पण 3 : ओकड़ा प्रविष्टि कार्य के लिए प्रति घंटा 8000 कुंजों अवनमान की गति का निर्णय सक्षम प्राधिकारी द्वारा ई०डी०पी० मशीनों पर गति-परीक्षण का संचालन करके किया जाएगा ।

भर्ती की पद्धति : भर्ती सीधे होगी या प्रोन्नति द्वारा या प्रति-प्रोन्नति/प्रतिनियुक्ति/आमेलन द्वारा भर्ती की दशा में वे श्रेणियां जिनसे नियुक्ति/आमेलन द्वारा तथा विभिन्न पद्धतियों द्वारा भरे जाने वाले प्रोन्नति/प्रतिनियुक्ति/आमेलन किया जाएगा पदों की प्रतिशतता

11

12

सीधी भर्ती

लागू नहीं होता

टिप्पण : पदधारी के प्रतिनियुक्ति पर या सम्बन्धी छुट्टी या अध्ययन छुट्टी या किसी अन्य परिस्थितियों में एक वर्ष या उससे अधिक अवधि के लिए बाहर रहने के कारण हुई रिक्तियों केन्द्रीय सरकार के ऐसे अधिकारियों में से प्रतिनियुक्ति के आधार पर भरी जा सकेंगी जो नियमित आधार पर सकृश पद धारण किये हुए हैं और जिनके पास स्तम्भ 8 के अधीन सीधे भर्ती किए जाने वाले व्यक्तियों के लिए विहित अर्हताएं हैं ।

यदि विभागीय प्रोन्नति समिति है तो उसकी संरचना

भर्ती करने में किन परिस्थितियों में संघ लोक सेवा आयोग से परामर्श किया जाएगा

13

14

समूह 'ग' विभागीय प्रोन्नति समिति :

निदेशक (प्रशासन)—अध्यक्ष

लागू नहीं होता

अवर सचिव (प्रशासन)—सदस्य

अवर सचिव, औद्योगिक नीति और संवर्धन विभाग—सदस्य

(अनुसूचित जाति/अनुसूचित जनजाति का प्रतिनिधित्व करने वाला)

अवर सचिव (प्रशासन) भारी उद्योग विभाग—सदस्य

[सं० ए-12018(9)/98-ई-11]

ए०जी० शशि कुमार, अवर सचिव

MINISTRY OF INDUSTRY

(Department of Industrial Policy & Promotion)

New Delhi, the 21st January, 1999

G.S.R. 31.—In exercise of the powers conferred by the proviso to article 309 of the constitution, the President hereby makes the following rules regulating the method of recruitment to the post of Data Entry Operator Grade 'A' in the Department of Industrial Policy and Promotion, Ministry of Industry, namely :—

1. Short title and commencement.—(1) These rules may be called the Department of Industrial Policy and Promotion Data Entry Operator Grade 'A', Recruitment Rules, 1999.

(2) They shall come into force from the date of their publication in the Official Gazette.

2. Number, classification and scale of pay.—The number of post, its classification and the scale of pay attached thereto, shall be as specified in column 2 to 4 of the Schedule annexed to these rules.

3. Method of recruitment, age limit and qualifications etc.—The method of recruitment to the said posts, age limit, qualifications and other matters connected therewith shall be as specified in columns 5 to 14 of the Schedule aforesaid.

4. Disqualification.—No person;

- (a) Who has entered into or contracted a marriage with a person having a spouse living or
- (b) Who, having a spouse living, has entered into or contracted a marriage with any person,

shall be eligible for appointment to the post.

Provided that the Central Government may, if satisfied that such marriage is permissible under the personal law applicable to such persons and the other party to the marriage and there are other grounds for so doing, exempt any person from the operation of this rule.

5. Power to relax.—Where the Central Government is of the opinion that it is necessary or expedient so to do, it may, by order, for reasons to be recorded in writing, relax any of the provisions of these rules with respect to any class or category of persons.

6. Saving.—Nothing in these rules shall effect reservations and other concessions required to the provided for Scheduled Castes and Scheduled Tribes and other special categories of persons in accordance with the orders issued by the Central Government from time to time in this regard.

SCHEDULE

Name of the Post	Number of Posts	Classification	Scale of pay
1	2	3	4
Data Entry Operator Grade 'A'	*03 (Three) 1999 *Subject to variation depending upon workload	General Central Service, (Group 'C') Non-Gazetted, Non-Ministerial.	Rs. 4000-100-6000
Whether selection cum seniority or selection by merit	Whether benefit of added years of service admissible under Rule 30 of the CCS (pension) Rules 1972	Age limit in the case of direct recruit	
5	6	7	
Not applicable	Not applicable.	25 years, relaxable upto 40 years upto 45 years in respect of SC/ST candidates in case of Government Servants in accordance with the instructions or orders issued by the Central Government.	

NOTE : The crucial date for determining the age limit shall be the closing date for receipt of applications from candidates in India except for those in Assam, Mizoram, Manipur, Nagaland, Meghalaya, Arunachal Pradesh, Tripura, Sikkim, Ladakh Division of J & K State, Lahaul & Spiti District of Himachal Pradesh, Andaman & Nicobar Islands or Lakshadweep).

Educational and other qualifications required for direct recruits	Whether age and educational qualifications prescribed for direct recruits will apply in the case of promotees.	Period of probation if any	Method of recruitment whether by direct recruitment or by Promotion or by deputation/absorption and percentage of the posts to be filled by various methods
8	9	10	11
(a) 12th Standard pass or equivalent. (b) should possess a speed of not less than 8000 Key Depressions per hour for Data Entry Work. NOTE 1 : Qualifications are relaxable at the discretion of the Competent Authority in case of candidates, otherwise well qualified. NOTE 2 : The qualification(s) regarding experience is/are relaxable at the discretion of the Competent Authority in case of candidates belonging to Scheduled Castes/Scheduled Tribes, if at any stage of selection the Competent Authority is of the opinion that sufficient number of candidates belonging to these communities possessing the requisite experience are not likely to be available to fill up vacancies reserved for them. NOTE 3 : The speed of 8000 Key Depressions per hour for Data Entry Work is to be judged by conducting a speed test on the EDP Machine(s) by the Competent Authority.	Not applicable	Two years	Direct recruitment NOTE: Vacancies caused by the incumbent being away on deputation or long leave or study leave or under other circumstances for a duration of one year or more may be filled, on deputation from the officials of the Central Government holding analogous posts on regular basis and possessing the qualifications prescribed for direct recruits under column 8.
In case of recruitment by promotion/deputation/absorption grades from which promotion/deputation/absorption to be made	If a Departmental Promotion Committee exists, what is the composition		Circumstances in which UPSC is to be consulted in making recruitment
12	13		14
Not applicable.	Group 'C' Departmental Promotion Committee : Director (Administration)—Chairman Under Secretary (Administration)—Member Under Secretary, Department of Industrial Policy & Promotion—Member (Representing Schedule Caste/Schedule Tribe) Under Secretary (Administration)—Member.- Department of Heavy Industry		Not applicable.

नई दिल्ली, 21 जनवरी, 1999

सा० का० नि० 32:—राष्ट्रपति, संविधान के अनुच्छेद 309 के परन्तुक द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए उद्योग मंत्रालय के औद्योगिक नीति और संवर्धन विभाग में आंकड़ा प्रविष्टि प्रचालक श्रेणी 'ख' के पद पर भर्ती की पद्धति का विनियमन करने के लिए निम्नलिखित नियम बनाते हैं, अर्थात्:—

1. संक्षिप्त नाम और प्रारंभ (1) इन नियमों का संक्षिप्त नाम औद्योगिक नीति और संवर्धन विभाग आंकड़ा प्रविष्टि प्रचालक श्रेणी 'ख' भर्ती नियम, 1999 है।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. पद संख्या, वर्गीकरण और वेतनमान : उक्त पद की संख्या, उसका वर्गीकरण और उसका वेतनमान वही होगा, जो इन नियमों में उपाबंध अनुसूची के स्तम्भ 2 से स्तम्भ 4 में विनिर्दिष्ट है।

3. भर्ती की पद्धति, आयु-सीमा और अन्य अर्हताएं आदि : उक्त पद पर भर्ती की पद्धति, आयु-सीमा, अर्हताएं और उससे संबंधित अन्य बातें वे होंगी जो पूर्वोक्त अनुसूची के स्तम्भ 5 से स्तम्भ 14 में विनिर्दिष्ट हैं।

4. निरर्हताएं: वह व्यक्ति—

(क) जिसने ऐसे व्यक्ति से जिसका पति या जिसकी पत्नी जीवित है, विवाह किया है, या

(ख) जिसने अपने पति या अपनी पत्नी के जीवित रहते हुए किसी व्यक्ति से विवाह किया है,

उक्त पद पर नियुक्ति का पात्र नहीं होगा :

परन्तु यदि केन्द्रीय सरकार का यह समाधान हो जाता है कि ऐसा विवाह ऐसे व्यक्ति और विवाह के अन्य पक्षकार को लागू स्वीय विधि के अधीन अनुज्ञेय है और ऐसा करने के लिए अन्य आधार हैं तो वह किसी व्यक्ति को इस नियम के प्रवर्तन से छूट दे सकेगी।

5. शिथिल करने की शक्ति : जहां केन्द्रीय सरकार की यह राय है कि ऐसा करना आवश्यक या समीचीन है, वहां वह उसके लिए जो कारण हैं उन्हें लेखबद्ध करके, इन नियमों के किसी उपबंध को किसी वर्ग या प्रवर्ग के व्यक्तियों की बाबत, आदेश द्वारा शिथिल कर सकेगी।

6. व्यावृत्ति : इन नियमों की कोई बात, ऐसे आरक्षण, आयु-सीमा में छूट और अन्य रियायतों पर प्रभाव नहीं डालेगी, जिनका केन्द्रीय सरकार द्वारा इस संबंध में समय-समय पर निकाले गये आदेशों के अनुसार अनुसूचित जातियां, अनुसूचित जनजातियां, और अन्य विशेष प्रवर्ग के व्यक्तियों के लिए उपबंध करना अपेक्षित है।

अनुसूची

पद का नाम	पदों की संख्या	वर्गीकरण	वेतनमान
1	2	3	4

आंकड़ा प्रविष्टि प्रचालक श्रेणी 'ख'	06 * (छह) (1999)	साधारण केन्द्रीय सेवा, समूह 'ग', अराजपत्रित, अननुसन्धिवीय	4500-125-7000 रु०
-------------------------------------	---------------------	--	-------------------

*कार्यभार के आधार पर परिवर्तन
किया जा सकता है।

चयन-सह-ज्येष्ठता या योग्यता के आधार पर चयन अथवा अचयन	सेवा में जोड़े गये वर्षों का फायदा केन्द्रीय सिविल सेवा (पेंशन) नियम, 1972 के नियम 30 के अधीन अनुज्ञेय है या नहीं	सौधे भर्ती किये जाने वाले व्यक्तियों के लिए आयु-सीमा
--	---	--

5	6	7
अचयन	लागू नहीं होता	25 वर्ष [केन्द्रीय सरकार द्वारा जारी किये गये अनुदेशों या आदेशों के अनुसार सरकारी सेवकों के लिए शिथिल करके 40 वर्ष तक (अनुसूचित जाति/अनुसूचित जनजाति के अभ्यर्थियों के लिए शिथिल करके 45 वर्ष तक) की जा सकती है।] टिप्पण : आयु-सीमा अवधारित करने के लिए निर्णायक तारीख भारत में अभ्यर्थियों से आवेदन प्राप्त करने के लिए नियत की गयी अंतिम तारीख होगी। (सिवाय वह अंतिम तारीख जो असम, मेघालय, अरुणाचल प्रदेश, मिज़ोरम, मणिपुर, नागालैंड, त्रिपुरा, सिक्किम, जम्मू-कश्मीर राज्य के लद्दाख खण्ड, हिमाचल प्रदेश के लाहौल और स्पीति जिले तथा चम्पावत जिले के पाणी डपखंड, मंडमान और निकोबार द्वीप या लक्षद्वीप के अभ्यर्थियों के लिए विहित की गयी है।)

सौधे भर्ती किये जाने वाले व्यक्तियों के लिए अपेक्षित शैक्षिक और अन्य अर्हताएं	सौधे भर्ती किये जाने वाले व्यक्तियों के लिए विहित आयु और शैक्षिक अर्हताएं प्रस्तुत व्यक्तियों की दशा में लागू होंगी या नहीं।	परिीक्षा की अवधि, यदि कोई हो।
---	--	-------------------------------

8	9	10
(1) किसी मान्यताप्राप्त विश्वविद्यालय से डिग्री या समतुल्य, (2) इलेक्ट्रॉनिक्स विभाग के मानकों के अनुसार किसी मान्यताप्राप्त संस्थान से या किसी मान्यताप्राप्त विश्वविद्यालय से कम्प्यूटर उप-योजन/कार्यक्रमण में डिप्लोमा/प्रमाण-पत्र (3) आंकड़ा प्रविष्टि कार्य के लिए प्रति घंटा कम से कम 8000 कुंजी अवनमन की गति होनी चाहिए।	लागू नहीं होता	सौधे भर्ती किये जाने वाले व्यक्तियों के लिए दो वर्ष। प्रोन्नत किये जाने वाले व्यक्तियों के लिए कुछ नहीं।

टिप्पण 1 : ऐसे व्यक्तियों को अधिमानता दी जाएगी जिनके पास विज्ञान, गणित, वाणिज्य, अर्थशास्त्र, सांख्यिकी या कम्प्यूटर उपयोजन में डिग्री है।

टिप्पण 2 : अर्हताएं अथवा सुअर्हित अभ्यर्थियों की दशा में सक्षम प्राधिकारी के विवेकानुसार शिथिल की जा सकती है।

टिप्पण 3 : अनुभव संबंधी अर्हता (अर्हताएं) सक्षम प्राधिकारी के विवेकानुसार अनुसूचित जातियों और अनुसूचित जनजातियों के अभ्यर्थियों की दशा में तब शिथिल की जा सकती है (हैं) जब चयन के किसी प्रक्रम पर सक्षम प्राधिकारी की यह राय है कि उनके लिए अपेक्षित रिक्तियों को भरने के लिए अपेक्षित अनुभव रखने वाले उन समुदायों के अभ्यर्थियों के वर्गीकृत संख्या में उपलब्ध होने की सम्भावना नहीं है।

टिप्पण 4 : आंकड़ा प्रविष्टि कार्य के लिए प्रति घंटा 8000 कुंजी अवनमन की गति का निर्णय सक्षम प्राधिकारी द्वारा ई०डी०पी० मशीनों पर गति परीक्षण का संचालन करके किया जाएगा।

भर्ती की पद्धति : भर्ती सीधे होगी या प्रोन्नति द्वारा या प्रोन्नति/प्रतिनियुक्ति/आपेक्ष द्वारा भर्ती की दशा में वे श्रेणियाँ जिनसे प्रतिनियुक्ति/आमलन द्वारा तथा विभिन्न पद्धतियों द्वारा भर प्रोन्नति/प्रतिनियुक्ति/आमलन किया जाएगा जाने वाले पदों की प्रतिशतता

11

12

भर्ती की निम्नलिखित पद्धतियों में से कोई एक पद्धति :

- (i) प्रोन्नति, जिसके न हो सकने पर प्रतिनियुक्ति द्वारा
- (ii) सीधी भर्ती
- (iii) 50 प्रतिशत प्रोन्नति द्वारा, जिसके न हो सकने पर प्रतिनियुक्ति द्वारा और 50 प्रतिशत सीधी भर्ती द्वारा ।

प्रोन्नति :

ऐसा आंकड़ा प्रसिद्धि प्रचालक श्रेणी 'क' जिसने उस श्रेणी में छह वर्ष नियमित सेवा की है ।

प्रतिनियुक्ति :

(क) केन्द्रीय सरकार के ऐसे अधिकारी :—

- (i) जो नियमित आधार पर सदृश पद धारण किये हुए हैं, या
- (ii) जिन्होंने 4000—6000/रु० के वेतनमान वाले पदों पर तीन वर्ष नियमित सेवा की है, या
- (iii) जिन्होंने 3050—4590/रु० या समतुल्य वेतनमान वाले पदों पर 6/8 वर्ष नियमित सेवा की है, और
- (ख) जिनके पास स्तम्भ 8 के अधीन सीधे भर्ती किये जाने वाले व्यक्तियों के लिए ब्रिहित अर्हताएं और अनुभव हैं ।
- (प्रतिनियुक्ति की अवधि, जिसके अन्तर्गत केन्द्रीय सरकार के उसी या किसी अन्य संगठन/विभाग में इस नियुक्ति से ठीक पहले धारित किसी अन्य खांडर बाह्य पद पर प्रतिनियुक्ति की अवधि है साधारणतया तीन वर्ष से अधिक नहीं होगी ।)

यदि विभागीय प्रोन्नति समिति है तो उसकी संरचना

भर्ती करने में निम्न परिस्थितियों में संघ लोक सेवा आयोग से परामर्श किया जाएगा

13

14

समूह 'ग' विभागीय प्रोन्नति समिति :

लागू नहीं होता

निदेशक (प्रशासन) — अध्यक्ष

अवर सचिव (प्रशासन) — सदस्य

अवर सचिव, औद्योगिक नीति और संवर्धन विभाग — सदस्य

(अनुसूचित जाति/अनुसूचित जनजाति का प्रतिनिधित्व करने वाला)

अवर सचिव (प्रशासन)

भारी उद्योग विभाग — सदस्य

New Delhi, the 21st January, 1999

G.S.R. 32.—In exercise of the powers conferred by the proviso to article 309 of the constitution, the President hereby makes the following rules regulating the method of recruitment to the post of Data Entry Operator Grade 'B' in the Department of Industrial Policy and Promotion, Ministry of Industry, namely :

1. Short title and commencement.—(1) These rules may be called the Department of Industrial Policy and Promotion Data Entry Operator Grade 'B', Recruitment Rules, 1999.

(2) They shall come into force from the date of their publication in the Official Gazette.

2. Number, classification and scale of pay.—The number of post, its classification and the scale of pay attached thereto, shall be as specified in column 2 to 4 of the Schedule annexed to these rules.

3. Method of recruitment, age limit and other qualifications etc.—The method of recruitment to the said posts, age limit, qualifications and other matters connected therewith shall be as specified in columns 5 to 14 of the Schedule aforesaid.

4. Disqualification—No person,

- (a) Who has entered into or contracted a marriage with a person having a spouse living or
- (b) Who, having a spouse living, has entered into or contracted a marriage with any person,

shall be eligible for appointment to the post.

Provided that the Central Government may, if satisfied that such marriage is permissible under the personal law applicable to such persons and the other party to the marriage and there are other grounds for so doing, exempt any person from the operation of this rule.

5. Power to relax.—Where the Central Government is of the opinion that it is necessary or expedient so to do, it may, by order, for reasons to be recorded in writing, relax any of the provisions of these rules with respect to any class or category of persons.

6. Saving.—Nothing in these rules shall effect reservations and other concessions required to be provided for Scheduled Castes and Scheduled Tribes and other special categories of persons in accordance with the orders issued by the Central Government from time to time in this regard.

SCHEDULE

Name of the Post	Number of Posts	Classification	Scale of pay
1	2	3	4
Data Entry Operator Grade-B	06* (Six) 1999 *Subject to variation depending upon workload.	General Central Service, Group 'C' Non-Gazetted, Non-Ministerial.	Rs. 4500-125-7000
Whether selection cum seniority or selection by merit	Whether benefit of added years of service admissible under Rule 30 of the CCS (Pension) Rules, 1972	Age limit in the case of direct recruit	
5	6	7	
Non-selection	Not applicable	25 years relaxable upto 40 years (upto 45 years in respect of SC/ST candidates) in case of Government Servants in accordance with the instructions or orders issued by the Central Government.	

Note : The crucial date for determining the age limit shall be the closing date for receipt of applications from candidates in India except for those in Assam, Meghalaya, Arunachal Pradesh, Mizoram, Manipur, Nagaland, Tripura, Sikkim, Ladakh Division of J & K State, Lahaul and Spiti districts and Pangri Sub Division of Chamba district of Himachal Pradesh, Andaman & Nicobar Islands or Lakshadweep).

Educational and other qualifications required for direct recruits	Whether age and educational qualifications prescribed for direct recruits will apply in the case of promotees	Period of probation if any	Method of recruitment whether by direct recruitment or by Promotion or by deputation/absorption and percentage of the posts to be filled by various methods
---	---	----------------------------	---

8	9	10	11
<p>(1) Degree of a recognised University or equivalent,</p> <p>(2) Diploma/Certificate in Computer Application/Programming from a recognised institute as per Deptt. of Electronics norms or from a recognised University.</p> <p>(3) Should possess a speed of not less than 8000 Key Depressions per hour, for Data Entry Work.</p>	Not applicable	Two years for direct recruits, Nil for promotees	<p>Any of the following methods of recruitment:</p> <p>(i) Promotion, failing which by deputation.</p> <p>(ii) Direct Recrt.</p> <p>(iii) 50 percent by promotion failing which by deputation and 50 percent by direct recruitment.</p>

NOTE 1 : Preference will be given to those who possess degree with Science, Mathematics, Commerce, Economics, Statistics or Computer application.

NOTE 2 : Qualifications are relaxable at the discretion of the Competent Authority in case of candidates otherwise well qualified.

NOTE 3 : The qualification(s) regarding experience is /are relaxable at the discretion of the Competent Authority in case of candidates belonging to Scheduled Castes/Scheduled Tribes if, at any stage of selection the Competent Authority is of the opinion that sufficient number of candidates belonging to these communities possessing the requisite experience are not likely to be available to fill up the vacancies reserved for them.

NOTE 4 : The speed of 8000 Key Depressions per hour for Data Entry Work is to be judged by conducting a speed test on the EDP Machine(s), by the Competent Authority.

In case of recruitment by promotion/deputation/absorption grades from which promotion/deputation/absorption to be made	If a Departmental Promotion Committee exists, what is the composition	Circumstances in which UPSC is to be consulted in making recruitment
12	13	14
<p>Promotion : Data Entry Operator Grade 'A' with six years, regular service in the grade.</p> <p>Deputation :</p> <p>(a) Officers of the Central Government,</p> <p>(i) Holding analogous posts on regular basis ;</p> <p>(ii) With three years regular service in posts in the scale of Rs. 4000—6000; or</p> <p>(iii) With 6/8 years regular service in posts in the scale of Rs. 3050—4590 or equivalent; and</p> <p>(b) Possessing the qualifications and experience prescribed for direct recruits under column 8, (The period of deputation including the period of deputation in another excadre post held immediately preceding this appointment in the same or some other organisation/department of the Central Government shall ordinarily not exceed 3 years).</p>	<p>Group 'C' Departmental Promotion Committee :</p> <p>Director (Administration)—Chairman</p> <p>Under Secretary (Administration)—Member</p> <p>Under Secretary, Department of Industrial Policy & Promotion—Member.</p> <p>(Representing Schedule Caste/Schedule Tribe)</p> <p>Under Secretary (Administration) Department of Heavy Industry—Member</p>	<p>Not applicable.</p>

[No. A-12018(9)/98-E-11]

A. V. SASI KUMAR, Under Secy.

नई दिल्ली, 21 जनवरी, 1999

मा. का. नि. 33 —राष्ट्रपति, संविधान के धनुषछेद 309 के परन्तुक द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए उद्योग मंत्रालय के औद्योगिक नीति एवं संवर्धन विभाग में आंकड़ा प्रविष्टि प्रचालक श्रेणी "ग" के पद पर भर्ती की पद्धति का विनियमन करने के लिए निम्नलिखित नियम बनाते हैं, अर्थात्:—

1. संक्षिप्त नाम और प्रारम्भ :—(1) इन नियमों का संक्षिप्त नाम औद्योगिक नीति एवं संवर्धन विभाग आंकड़ा प्रविष्टि प्रचालक श्रेणी "ग" भर्ती नियम, 1999 है

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. पद-संख्या, वर्गीकरण और वेतनमान :—उक्त पद की संख्या, उसका वर्गीकरण और उसका वेतनमान वही होगा जो इन नियमों में उपावद्ध अनुसूची के स्तम्भ 2 से स्तम्भ 4 में विनिर्दिष्ट है।

3. भर्ती की पद्धति, आयु-सीमा और अन्य अर्हताएं आदि :—उक्त पद पर भर्ती की पद्धति, आयु-सीमा, अर्हताएं और उससे सम्बंधित अन्य बातें वे होंगी जो पूर्वोक्त अनुसूची के स्तम्भ 5 से स्तम्भ 14 में विनिर्दिष्ट हैं।

4. निरर्हता :—वह व्यक्ति :—

(क) जिसने ऐसे व्यक्ति से जिसका पति या जिसकी पत्नी जीवित हैं; विवाह किया है, या

(ख) जिसने अपने पति या अपनी पत्नी के जीवित रहते हुए किसी व्यक्ति से विवाह किया है;

उक्त पद पर नियुक्ति का पात्र नहीं होगा।

परन्तु यदि केन्द्रीय सरकारी का यह समाधान हो जाता है कि ऐसा विवाह ऐसे व्यक्ति और विवाह के अन्य पक्षकार को लागू स्वीय विधि के अधीन अनुज्ञेय है और ऐसा करने के लिए अन्य आधार हैं तो वह किसी व्यक्ति को इस नियम के प्रवर्तन से छूट दे सकेगी।

5. जियिल करने की शक्ति :—जहाँ केन्द्रीय सरकार की यह राय है कि ऐसा करना आवश्यक या समीचीन है, वहाँ वह उसके लिए जो कारण हैं उन्हें लेखबद्ध करके, इन नियमों के किसी उपबंध को किसी वर्ग या वर्गों के व्यक्तियों की बाबत, आदेश द्वारा जियिल कर सकेगी।

6. व्यावृत्ति :—इन नियमों की कोई बात, ऐसे आरक्षण, आयु-सीमा में छूट और अन्य गियायतों पर प्रभाव नहीं डालेगी, जिनका केन्द्रीय सरकार द्वारा इस संबंध में समय-समय पर निम्नलिखित गये आदेशों के अनुसार अनुसूचित जातियों, अनुसूचित जनजातियों, और अन्य विशेष प्रवर्ग के व्यक्तियों के लिए उपबंध करना अपेक्षित है।

अनुसूची

पद का नाम	पदों की संख्या	वर्गीकरण	वेतनमान	चयन-सह-ज्येष्ठता या योग्यता के आधार पर चयन अथवा प्रचयन	सेवा में जोड़े गये वर्षों का फायदा केन्द्रीय सिविल सेवा (पेंशन) नियम, 1972 के नियम 30 के अधीन अनुज्ञेय है या नहीं	सीधे भर्ती किये जाने वाले व्यक्तियों के लिए आयु-सीमा
1	2	3	4	5	6	7
ग्रोकड़ा प्रविष्टि प्रचालक श्रेणी "ग"	2* (दो) 1999 *कार्यभार के आधार पर परिवर्तन किया जा सकता है।	साधारण केन्द्रीय सेवा, समूह "ग" अराजपक्षित अननुमति विषय	5000-150-8000/-र.	प्रचयन	लागू नहीं होता	लागू नहीं होता
सीधे भर्ती किये जाने वाले व्यक्तियों के लिए, अपेक्षित शैक्षिक और अन्य अर्हताएं:				सीधे भर्ती किये जाने वाले व्यक्तियों के लिए विहित आयु और शैक्षिक अर्हताएं प्रोन्नत व्यक्तियों की दशा में लागू होंगी या नहीं।		
8				9		
लागू नहीं होता				लागू नहीं होता		
भर्ती की पद्धति : भर्ती सीधे होगी या प्रोन्नति द्वारा या प्रतिनियुक्ति/आमेलन द्वारा तथा किमिन्न पद्धतियों द्वारा भरे जाने वाले पदों की प्रतिगताता।				प्रोन्नति/प्रतिनियुक्ति/आमेलन द्वारा भर्ती की दशा में वे श्रेणियां जिनसे प्रोन्नति/प्रतिनियुक्ति/आमेलन किया जाएगा।		
11				12		
प्रोन्नति, जिसके न हो सकने पर प्रतिनियुक्ति द्वारा				प्रोन्नति :—ऐसा ग्राकड़ा प्रविष्टि प्रचालक श्रेणी "ख" जिसने उस श्रेणी में तीन वर्ष नियमित सेवा की है। प्रतिनियुक्ति :— (क) केन्द्रीय सरकार के ऐसे अधिकारी (i) जो नियमित आधार पर सतत बढ धारण किये हुए हैं; या (ii) जिन्होंने 4000-100-6000/- रु. (पुनरीक्षित) के वेतनमान वाले पदों पर तीन वर्ष नियमित सेवा की है; या (iii) जिन्होंने 3050-4590/- रु. (पुनरीक्षित) के वेतनमान वाले पदों पर छह वर्ष नियमित सेवा की है। (ख) किसी मान्यताप्राप्त विश्वविद्यालय की डिग्री या समतुल्य हो और ग्राकड़ा प्रविष्टिया कार्य के लिए प्रति घंटा कम से कम 8000 कुंजी अवतमन की गति हो। टिप्पण :—ग्राकड़ा प्रविष्टि कार्य के लिए प्रति घंटा 8000 कुंजी अवतमन की गति का निर्णय सक्षम अधिकारी द्वारा ई. डी. पी. यशियों पर प्रति परीक्षण का संश्लेषण करके किया जाएगा। (प्रतिनियुक्ति की अवधि, जिसके अन्तर्गत केन्द्रीय सरकार के उसी या किसी अन्य संगठन/विभाग में इस नियुक्ति से ठीक पहले धारित किसी अन्य काष्ठर वाह्य पद पर प्रतिनियुक्ति की अवधि है साधारणतया तीन वर्ष से अधिक नहीं होगी।)		

यदि विभागीय प्रोन्नति समिति है तो उसकी संरचना

भर्ती करने में किन परिस्थितियों में संघ लोक सेवा आयोग से परामर्श किया जाएगा।

13

14

समूह "ग" विभागीय प्रोन्नति समिति --

लागू नहीं होता

निदेशक (प्रशासन)

---अध्यक्ष

अवर सचिव (प्रशासन)

---सदस्य

अवर सचिव, औद्योगिक नीति और संवर्धन विभाग

---सदस्य

(अनुसूचित जाति/अनुसूचित जनजाति का प्रतिनिधित्व करने वाला)

अवर सचिव (प्रशासन)

---सदस्य

भारी उद्योग विभाग

[सं. ए.-12018 (9)/98-ई.-II]

ए. बी. शशि कुमार, अवर सचिव

New Delhi, the 21st January, 1999

G.S.R. 33.—In exercise of the powers conferred by the proviso to article 309 of the constitution, the President hereby makes the following rules regulating the method of recruitment to the post of Data Entry Operator Grade 'C' in the Department of Industrial Policy and Promotion, Ministry of Industry :—
namely :—

1. Short title and commencement.—(1) These rules may be called the Department of Industrial Policy and Promotion Data Entry Operator Grade 'C', Recruitment Rules, 1999.

(2) They shall come into force from the date of their publication in the Official Gazette.

2. Number, classification and scale of pay.—The number of post, its classification and the scale of pay attached thereto, shall be as specified in columns 2 to 4 of the Schedule annexed to these rules.

3. Method of recruitment, age limit and other qualifications etc.—The method of recruitment to the said posts age limit, qualifications and other matters connected therewith shall be as specified in columns 5 to 14 of the Schedule aforesaid.

4. Disqualification—No person;

- (a) Who have entered into or contracted a marriage with a person having a spouse living or
- (b) Who, having a spouse living, has entered into or contracted a marriage with any person,

shall be eligible for appointment to the post.

Provided that the Central Government may, if satisfied that such marriage is permissible under the personal law applicable to such persons and the other party to the marriage and there are other grounds for so doing, exempt any person from the operation of this rule.

5. Power to relax.—Where the Central Government is of the opinion that it is necessary or expedient so to do, it may, by order, for reasons to be recorded in writing, relax any of the provisions of these rules with respect to any class or category of persons.

6. Saving.—Nothing in these rules shall effect reservations and other concessions required to be provided for Scheduled Castes and Scheduled Tribes and other special categories of persons in accordance with the orders issued by the Central Government from time to time in this regard.

SCHEDULE

Name of the Post	Number of posts	Classification	Scale of pay
1	2	3	4
Data Entry Operator Grade 'C'	*02 (Two) 1999 *Subject to variation depending upon workload.	General Central Service, Group "C", Non-Gazetted, Non-Ministerial.	Rs. 5000-150-8000.

Whether selection-cum-seniority or selection by merit	Whether benefit of added years of service admissible under Rule 30 of the CCS (Pension) Rules, 1972	Age limit in the case of direct recruit
---	---	---

5

6

7

Non selection

Not applicable

Not applicable

Educational and other qualifications required for direct recruits

Whether age and educational qualifications prescribed for direct recruits will apply in the case of promotees

Period of probation if any

Method of recruitment whether by direct recruitment or by promotion or by deputation absorption and percentage of the posts to be filled by various methods

8

9

10

11

Not applicable

Not applicable

Not applicable

Promotion, failing which by deputation.

In case of recruitment by promotion/deputation/absorption grades from which promotion/deputation absorption to be made

If a Departmental Promotion Committee exists, what is the composition

Circumstances in which UPSC is to be consulted in making recruitment

12

13

14

Promotion :
Data Entry Operator Grade 'B' with three years regular service in the grade.
Deputation :
(a) Officers of the Central Government.

Group 'C' Departmental Promotion Committee :
Director (Administration)—Chairman
Under Secretary, Department of Industrial Policy & Promotion—Member

(i) Holding analogous posts on regular basis, or

(Representing Schedule Caste/Schedule Tribes)

(ii) With three years regular service in posts in the scale of Rs. 4000-100-6000 (Revised).

Under Secretary (Administration), Department of Heavy Industry—Member

(iii) With six years regular service in posts in the scale of Rs. 3050-4590. (Revised).

- (b) Possessing Degree of a recognised University or equivalent and a speed of not less than 8000 Key Depressions per hour for Data Entry Work.

NOTE : The speed of 8000 Key Depressions per hour for Data Entry Work is to be judged by conducting a speed test on the EDP Machine(s) by the Competent Authority.

(The period of deputation including the period of deputation in another ex-cadre post held immediately preceding this appointment in the same or some other organisation/department of the Central Government shall ordinarily not exceed three years.)

[No. A-12018(9)/98-E-II]

A.V. SASI KUMAR, Under Secy.

शहरी कार्य और रोजगार मंत्रालय

नई दिल्ली, 13 जनवरी, 1999

सा.का.नि. 34. —राष्ट्रपति, संविधान के अनुच्छेद 309 के परन्तुक द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, शहरी विकास मंत्रालय उप-सलाहकार (प्रशिक्षण) भर्ती नियम, 1985 का और संशोधन करने के लिए निम्नलिखित नियम बनाते हैं, अर्थात् —

1. (1) इन नियमों का संक्षिप्त नाम शहरी विकास मंत्रालय उप-सलाहकार (प्रशिक्षण) भर्ती (संशोधन) नियम, 1998 है।
- (2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।
2. शहरी विकास मंत्रालय, उप-सलाहकार (प्रशिक्षण) भर्ती नियम 1985 में, —
- (क) “शहरी विकास मंत्रालय” शब्दों के स्थान पर, जहाँ-जहाँ वे आते हैं, “शहरी कार्य और रोजगार मंत्रालय” शब्द रखे जाएंगे।
- (ख) अनुसूची में, —

(i) “प्रतिनियुक्ति पर स्थानांतरण” शब्दों के स्थान पर, जहाँ-जहाँ वे आते हैं, “प्रतिनियुक्ति” शब्द रखे जाएंगे ;

(ii) स्तंभ 4 में की प्रविष्टि “3700-125-4700-150-5000 रु.” के स्थान पर “12000-375-16500 रु.” प्रविष्टि रखी जाएगी ;

(iii) स्तंभ II में “(II) जिन्होंने 3000-4500 रु के वेतनमान वाले पदों या समतुल्य वेतनमान वाले पदों पर 5 वर्ष सेवा की है ; और” कोष्ठकों, शब्दों और अंकों के स्थान पर “(II) जिन्होंने

रु. 10,000-325-15,200 रु. के वेतनमान या समतुल्य वेतनमान वाले पदों पर 5 वर्ष सेवा की है ; और” शब्द रखे जाएंगे।

[सं० ए-12011/1/98-प्रशा-I]
के. के. गुप्ता, अवर सचिव

पाद टिप्पण—मूल नियम भारत के राजपत्र में अधिसूचना सं. सा. का.नि. 525 तारीख 1-6-85 द्वारा प्रकाशित किए गए थे और तत्पश्चात् अधिसूचना सं. सा.का.नि. 912 तारीख 5-12-1987 द्वारा संशोधित किए गए।

MINISTRY OF URBAN AFFAIRS & EMPLOYMENT

New Delhi, the 13th January, 1999

G.S.R. 34.—In exercise of the powers conferred by the proviso to article 309 of the Constitution, the President hereby makes the following rules further to amend the Ministry of Urban Development, Deputy Adviser (Training) Recruitment Rules, 1985, namely:

1 (1) These rules may be called the Ministry of Urban Development, Deputy Adviser (Training) Recruitment (Amendment) Rules, 1998.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Ministry of Urban Development, Deputy Adviser (Training) Recruitment Rules, 1955 :—

- (a) for the words “Ministry of Urban Development” wherever they occur, the words “Ministry of Urban Affairs and Employment”, shall be substituted;

(b) in the Schedule,—

- (i) for the words "Transfer on deputation", wherever they occur, the words, "Deputation" shall be substituted;
- (ii) in column 4, for the entry "3700-125-4700-150-5000", the entry "Rs. 12,000-375-16,500" shall be substituted;
- (iii) in column 11, for the brackets, words, figures and letters "(ii) with 5 years' service in posts in the scale of Rs. 3000-4500 or equivalent; and", the brackets, words, figures and letters "(i) with 5 years' service in posts in the scale of pay of Rs. 10,000-325-15,200 or equivalent; and" shall be substituted.

[No. A-12011/198-Adm. I]

K. K. GUPTA, Under Secy.

Foot Note:—The Principal Rules were published in the Gazette of India vide Notification No. GSR...525 dated 1-6-85 and subsequently amended by notification number G.S.R. 912 dated 5-12-1987.

नई दिल्ली, 13 जनवरी, 1999

सा.का.नि. 35—राष्ट्रपति, संविधान के अनुच्छेद 309 के परन्तुक द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, शहरी विकास मंत्रालय (समूह "क" तकनीकी पद) भर्ती नियम, 1978 का और संशोधन करने के लिए निम्नलिखित नियम बनाते हैं, अर्थात् :—

1. (1) इन नियमों का संक्षिप्त नाम शहरी विकास मंत्रालय (समूह "क" तकनीकी पद) भर्ती (संशोधन) नियम, 1998 है;

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. शहरी विकास मंत्रालय (समूह "क" तकनीकी पद) भर्ती नियम, 1978 में, —

(क) "शहरी विकास मंत्रालय" शब्दों के स्थान पर, जहाँ-जहाँ वे आते हैं, "शहरी कार्य और रोजगार मंत्रालय" शब्द रखे जाएंगे;

(ख) अनुसूची में, —

(I) उप सलाहकार (लोक स्वास्थ्य इंजीनियरी) पद के सामने :—

(अ) "प्रतिनियुक्ति पर स्थानांतरण" शब्दों के स्थान पर जहाँ-जहाँ वे आते हैं, "प्रतिनियुक्ति" शब्द रखा जाएगा ;

(आ) स्तंभ 4 में की प्रविष्टि "3700-125-4700-150-5000 रु०" के स्थान पर "12,000-375-16-500 रु०" प्रविष्टि रखी जाएगी।

(इ) स्तंभ 11 में "3000—4500 रु." अक्षर और अंकों के स्थान पर "10,000-325-15,200 रु." अक्षर और अंक रखे जाएंगे;

(II) महायक सलाहकार (लोक स्वास्थ्य इंजीनियरी) पद के सामने :—

(क) "प्रतिनियुक्ति पर स्थानांतरण" शब्दों के स्थान पर, जहाँ-जहाँ वे आते हैं, "प्रतिनियुक्ति" शब्द रखा जाएगा ;

(ख) स्तंभ 4 में की प्रविष्टि "3000-100-3500-125—4500 रु." के स्थान पर "10,000-325-15,200 रु." प्रविष्टि रखी जाएगी ;

(ग) स्तंभ 11 में की प्रविष्टि "क (II) जिन्होंने 2200-4000 रु. के वेतनमान में या समतुल्य वेतनमान में 5 वर्ष नियमित सेवा की है; गया क (III) जिन्होंने 2000—3500 रु. के वेतनमान में या समतुल्य वेतनमान में 8 वर्ष नियमित सेवा की है; और "के स्थान पर निम्नलिखित प्रविष्टि रखी जाएगी; अर्थात् :—

"(II) जिन्होंने 8000-275-13,5000 रु." के वेतनमान में या समतुल्य वेतनमान वाले पदों पर 5 वर्ष नियमित सेवा की है; या (III) जिन्होंने 6500-200-10,500 रु. के वेतनमान में या समतुल्य वेतनमान वाले पदों पर 8 वर्ष नियमित सेवा की है; या

(III) वैज्ञानिक अधिकारी पद के सामने, स्तंभ 4 में की प्रविष्टि "3000-100-3500-125-4500 रु. के स्थान पर "10,000-325-15,200 रु." प्रविष्टि रखी जाएगी;

[ए. 12011/1/98-प्रशा. I]

के. के. गुप्ता, अधर सचिव

New Delhi, the 13th January, 1999

G.S.R. 35.—In exercise of the powers conferred by the proviso to article 309 of the Constitution, the President hereby makes the following rules further to amend the Ministry of Urban Development, (Group 'A' Technical posts) Recruitment Rules, 1978, namely :—

1. (1) These rules may be called the Ministry of Urban Affairs and Employment (Group 'A' Technical posts).

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Ministry of Urban Development (Group 'A' Technical posts) Recruitment Rules 1978,—

(a) for the words "Ministry of Urban Development" wherever they occur, the words "Ministry of Urban Affairs and Employment", shall be substituted;

(b) in the Schedule,—

(i) against the post of Deputy Adviser (Public Health Engineering) :—

(a) for the words "Transfer on deputation", wherever they occur, the words, "Deputation" shall be substituted;

(b) in column 4, for the entry "Rs. 3700-125-4700-150-5000", the entry "Rs. 12,000-375-16,500" shall be substituted;

(c) in column 11, for the letters and figures, "Rs. 3000—4500", the letters and figures "Rs. 10,000-325-15,200" shall be substituted;

(ii) against the post of Assistant Adviser (Public Health Engineering) :—

(a) for the words "Transfer on deputation", wherever they occur, the word "deputation" shall be substituted.

(b) in column 4, for the entry, "Rs. 3000-100-3500-125-4500," the entry "Rs. 10 000-325-15,200" shall be substituted;

(c) in column 11, for the entry "a(ii) with 5 years regular service in posts in the scale of Rs. 2200—4000 or equivalent; or: a (iii) with 8 years regular service in posts in the scale of Rs. 2000—3500 or equivalent; and", the following entries shall be substituted, namely :—

"(ii) with 5 years regular service in posts in the scale of pay of Rs. 8000-275-13,500 equivalent, or,

(iii) with 8 years regular service in posts in the scale of pay of Rs. 6,500-200-10,500 or equivalent; or,

(iii) against the post of Scientific Officer, in column 4, for the entry, "Rs. 3000-100-3500-125-4500," the entry "Rs. 10,000-325-15,200" shall be substituted.

[No. A-12011/198-Adm.I]

K. K. GUPTA, Under Secy.

Footnote.—The Principal Rules were published in the Gazette of India vide Notification No. GSR 1349 dated 11-11-1978 and subsequently amended vide notifications as per details given below :

(i) GSR 610 dated 16-6-1984.

(ii) GSR 67 dated 24-1-1987.

(iii) GSR 928 dated 12-12-1987.

जल भूतल परिवहन मंत्रालय

(पोत स्कंध)

नई दिल्ली, 22 जनवरी, 1999

सा.का.नि. 36.—जहाँ वाणिज्य पोत परिवहन (कर्मि-दल वास सुविधा) संशोधन नियम, 1998 का एक प्रारूप, वाणिज्य पोत परिवहन अधिनियम, 1958 (1958 का 44) की धारा 175 की उपधारा (1) की अपेक्षानुसार, भारत के राजपत्र, भाग 2, खंड 3, उपखंड (i), तारीख 21 फरवरी, 1998 में पृष्ठ 112 से 127 पर अधिसूचना सं. सा.का. नि. 43 तारीख 10 फरवरी, 1998 द्वारा, ऐसे सभी व्यक्तियों से, जिनके इनसे प्रभावित होने की संभावना थी, उस तारीख से, जिसके राजपत्र में प्रकाशित ऐसी अधिसूचना की प्रतियाँ जनता को उपलब्ध करा दी गईं, पतालीस दिनों की अवधि के भीतर आक्षेप और सुझाव आमंत्रित करने हुए प्रकाशित किया गया था,

और ऐसा राजपत्र 21 फरवरी, 1998 को जनता को उपलब्ध करा दिया गया था;

और उक्त प्रारूप पर जनता से कोई आक्षेप या सुझाव प्राप्त नहीं हुए हैं,

अतः, अब केन्द्रीय सरकार, वाणिज्य पोत परिवहन अधिनियम, 1958 (1958 का 44) की धारा 457 के साथ पठित धारा 175 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, निम्नलिखित नियम बनाती है, अर्थात् :—

1. (1) इन नियमों का संक्षिप्त नाम वाणिज्य पोत परिवहन (कर्मिदल वास सुविधा) संशोधन नियम, 1999 है।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. वाणिज्य पोत (कर्मिदल वास सुविधा) नियम, 1960 (जिसे इसमें इसके पश्चात् उक्त नियम कहा गया है) के नियम 1 के उपनियम (2) में :—

(क) "ये नियम निम्नलिखित को लागू होंगे" शब्दों के स्थान पर "ये नियम जब तक कि इन नियमों में अन्यत्र अन्यथा कथित न हो, निम्नलिखित को लागू होंगे" शब्द रखे जाएंगे।

(ख) खंड (क) में, "200" अंको के स्थान पर "500" अंक रखे जाएंगे।

(ग) अंत में निम्नलिखित परन्तुक जोड़ा जाएगा, अर्थात् :—

"परन्तु इन नियमों के उपबंध कम दूरी की यात्रा पर जाने वाले पोतों को लागू नहीं होंगे जिनके कर्मिदल के सदस्यों में रात्रि में पोत पर 8 घंटे की अवधि अधिक के लिए उठरने की अपेक्षा नहीं की जाती"।

3. उक्त नियमों के नियम 3 के,

(क) उपनियम (1) में, “100 अंक के पश्चात् 200 मीटर से कम लम्बाई वाले पोतों के लिए और 200 मीटर और अधिक लम्बाई वाले पोतों के लिए 200 में से शब्द और अंक अन्तः स्थापित किए जाएंगे।

(ख) उपनियम (2) के खंड (क) में “153” अंक के स्थान पर “100” अंक रखा जाएगा।

4. उक्त नियमों के नियम 4 के:—

(1) उपनियम (1) में

(क) केन्द्रीय सरकार, इन उपनियम की अपेक्षाओं से छूट दे सकेगी “शब्दों के स्थान पर” इस उपनियम की अपेक्षाओं लागू नहीं होगी ” शब्द रखे जाएंगे।

(ख) खंड (छ) में शब्द “वह” के स्थान पर “केन्द्रीय सरकार” शब्द रखे जाएंगे।

(2) उपनियम (2) और उससे संबंधित प्रविष्टियों के स्थान पर निम्नलिखित रखा जाएगा, अर्थात्:—
“(2) 1000 टन या अधिक के प्रत्येक पोत में भंडार कक्षों से भिन्न कर्मिंदल की वास सुविधा जहां तक व्यवहार्य हो पोत के मध्य में या दुम्बाल में स्थित होगी। ऐसे किसी पोत में भंडार कक्षों से भिन्न कर्मिंदल की वास सुविधा का कोई भाग संघट्टन पोतभीत से आगे स्थित नहीं होगा”।

5. उक्त नियमों के नियम 5 में:—

(क) उपनियम (1) का लोप किया जाएगा,

(ख) उपनियम (2) को उपनियम (1) के रूप में पुनः संख्यांकित किया जाएगा।

6. उक्त नियमों के नियम 6 में:—

(क) उपनियम (1) में “जलरोज़ी” शब्द के स्थान पर “मौसम रोधी” शब्द रखे जाएंगे।

(ख) उपनियम (5) में “प्लाईवुड या अन्य” शब्दों का लोप किया जाएगा।

7. उक्त नियमों के नियम 7 के,

(क) उपनियम (1) में “अन्य धातु” शब्दों के स्थान पर जहां-जहां वे आते हैं, समतुल्य सामग्री शब्द रखे जाएंगे।

(ख) उपनियम (2) में “केन्द्रीय सरकार छूट दे सकेगी” शब्दों से आरंभ होने वाले तथा “और गंदगी व पीड़क जंतुओं का जमाव” शब्दों पर समाप्त होने वाले भाग के स्थान पर “एकांतरत, उबरली छेक को उस सामग्री (सफ़ाई से भिन्न) से रोधी बनाया जाएगा जो तीसरी अनुसूची में विनिर्दिष्ट अपेक्षाओं को पूरी करती हो और

जो इस तरह से फिट हो कि जल अवशोषण, संघनन, संचरण तथा गंदगी व पीड़क जंतुओं के जमाव को यथासंभव रूप से रोक सके “शब्द और कांष्ठक रखे जाएंगे।

8. उक्त नियमों के नियम 9 के,

उपनियम (2) के

(i) खंड (इ) में,

(क) “500 टन या अधिक अंकों और शब्दों के स्थान पर “1000 टन से कम” अंक और शब्द रखे जाएंगे।

(ख) “केन्द्रीय सरकार छूट दे सकेगी” शब्दों से आरंभ होने वाले और “कर्मिंदल की सुरक्षा सुनिश्चित करने के लिए बनाए गए हैं,” शब्दों पर समाप्त होने वाले भाग का लोप किया जाएगा,

(ii) खंड (ट) का लोप किया जाएगा,

(iii) खंड (ठ) का लोप किया जाएगा,

(iv) खंड (ज) में “केन्द्रीय सरकार छूट दे सकेगी” शब्दों से आरंभ होने वाले और “सेवा (सर्विस) परिस्थितियों में तेल रोधी “शब्दों पर समाप्त होने वाले भाग का लोप किया जाएगा।

9. उक्त नियमों के नियम 10 के उपनियम (1) में “केन्द्रीय सरकार छूट दे सकेगी” शब्दों से आरंभ होने वाले और “तापन के अन्य उपयुक्त साधनों से” शब्दों पर समाप्त होने वाले भाग का लोप किया जाएगा।

10. उक्त नियमों के नियम 11 के,

(क) उपनियम (1) में,

(i) “लॉकर और भंडार कक्षों” शब्दों के स्थान पर “लॉकर, स्वच्छता संबंधी स्थान सुविधा गुजरने के रास्ते, कार्यालय व भंडार कक्ष” शब्द रखे जाएंगे,

(ii) “केन्द्रीय सरकार छूट दे सकेगी” शब्दों से आरंभ होने वाले और “परिस्थितियों में अनुचित या अव्यवहारिक हैं” शब्दों पर समाप्त होने वाले भाग का लोप किया जाएगा,

(ख) उपनियम (3) में, “यात्री पोत” शब्दों के स्थान पर “पोत” शब्द रखा जाएगा,

(ग) उपनियम (5) में, “केन्द्रीय सरकार छूट दे सकेगी” शब्दों से आरंभ होने वाले और “कर्मिंदल आवास में उपलब्ध कराए गए” शब्दों पर समाप्त होने वाले भाग का लोप किया जाएगा,

(घ) उपनियम (6) के स्थान पर निम्नलिखित उपनियम रखा जाएगा, —

(6) निम्नलिखित स्थानों के रास्ते में प्रकाश व्यवस्था जैसे कि शयन कक्ष, डे रूम, मनोरंजन कक्ष, फिल्म व टेलीविजन देखने के लिए प्रयुक्त किए जाने वाले कक्ष, रूचि कक्ष (हावी) व खेल कक्ष, भोजनालय, अस्पताल वार्ड कार्यालय, अध्ययन कक्ष, कूड़ा रखने का स्थान, लांडरी, शुष्कन कक्ष, शुष्क खाद्य सामग्री कक्ष, भंडार कक्ष, शीतानगर, गली गुजरने के रास्ते, सहचर रास्ते और आवत डेक मनोरंजन स्थान इस नियम के प्रयोजन के लिए पर्याप्त होंगे, यदि :—

(क) लैपेट बर्क और अन्य सतह परिष्कृतियां नई हो, तो क्षतिज तल में प्रदीप्त जब उसे चौथी अनुसूची में उक्त स्थान में विनिर्दिष्ट बिन्दुओं पर मापा जाए, स्थिर हो और वह उक्त अनुसूची में उक्त बिन्दुओं के संबंध में निर्धारित मूल्य पर 10 प्रतिशत सहायता सीमा के अधीन बनाई रखी जाती हो, तथा

(ख) वे उक्त स्थान के संबंध में चौथी अनुसूची में विनिर्दिष्ट किन्हीं अन्य अपेक्षाओं का पालन करते हों।

11. उक्त नियमों के नियम 12 के —

(क) उपनियम 4 “विद्युत पंखा” शब्दों के स्थान पर एक, या अधिक विद्युत पंखे” शब्द रखे जाएंगे।

12. उक्त नियमों के नियम 12 के —

(क) उपनियम (1) के “भंडार कक्ष” शब्दों के पश्चात् “लांड्री, शुष्कन कक्ष, गैली, पेंटी और कुष्ठ रखने का स्थान” शब्द रखे जाएंगे।

(ख) उपनियम (2) के, —

(i) खंड (क) “बाहरी वायु परिस्थितियों की तुलना में समाधानप्रव तापमान और आपेक्षिक आर्द्रता” शब्दों के स्थान पर “50% आपेक्षिक आर्द्रता सहित 29 डिग्री सेल्सियस तापमान, जब परिवेशी तापमान 70% आपेक्षिक आर्द्रता सहित 35 डिग्री सेल्सियस हो शब्द और अंक रखे जाएंगे।

(ii) खंड (ख) में, “सभी वातानुकूलित स्थानों में वायु परिवर्तनों की पर्याप्तता” शब्दों के स्थान पर “किसी भी भोजन कक्ष या मनोरंजन कक्ष में प्रति घंटे आठ वायु परिवर्तन और अन्य किसी कक्ष में छह वायु परिवर्तन, पुनः संचरित वायु की मात्रा किसी भी अवस्था में 50% से अधिक नहीं होगी” शब्द और अंक रखे जाएंगे।

13. उक्त नियमों के नियम 13 के, —

(क) उपनियम (3) में “परन्तु किसी स्कार की आवश्यकता नहीं होगी” से आरंभ होने वाले और “एक व्यक्ति के अनन्य उपयोग के लिए” शब्दों पर समाप्त होने वाले भाग का लोप किया जाएगा।

14. उक्त नियमों के नियम 14 के —

(क) उपनियम (1) में “और सफेद या हल्के रंग” शब्दों का लोप किया जाएगा।

(ख) उपनियम (2) में “चूना पुताई या” शब्दों का लोप किया जाएगा।

15. उक्त नियमों के नियम 15 के उपनियम (3) में “पोत की संरचना पर चिन्हों को काटा जाएगा या वे अन्यथा समान रूप में स्थायी रीति से चिन्हित किए जाएंगे” शब्दों का लोप किया जाएगा।

16. उक्त नियम के नियम 16 के,—

(अ) उपनियम (2) के,—

(i) खंड (क) में,—

(क) उपखंड (iv) में, “पेंटी अफसरों से भिन्न डेक विभाग के” शब्दों का लोप किया जाएगा

(ख) उपखंड (v) और (vi) का लोप किया जाएगा,

(ii) खंड (ख) का लोप किया जाएगा,

(अ) उपनियम 3 के, —

(i) खंड (ख) में “जहां व्यवहार्य होंगे। व्यक्ति प्रति कक्ष और किसी भी स्थिति में से अधिक नहीं” शब्दों और अंकों का लोप किया जाएगा,

(ii) खंड (इ) में जहां व्यवहार्य हो। व्यक्ति प्रति कक्ष और किसी भी स्थिति में से अधिक नहीं” शब्दों और अंकों का लोप किया जाएगा,

(iii) खंड (च) के स्थान पर निम्नलिखित खंड रखा जाएगा, अर्थात् :—

“(च) अन्य रेटिंग—1000 टन से कम के स्थोरा पोत में 3 व्यक्ति प्रति कक्ष से अधिक नहीं तथा यात्री पोत में 6 व्यक्ति प्रति कक्ष से अधिक नहीं”।

17. उक्त नियमों के नियम 17 के, —

(क) उपनियम 5 के, —

(i) खंड (क) में “का सेंटीमीटर” शब्दों के पश्चात् “गैर रोधी” शब्द अंतःस्थापित किए जाएंगे,

(ख) उप नियम (7) के स्थान पर निम्नलिखित उपनियम रखा जाएगा, अर्थात् :

“(7) गन्यूया (बैड) एक कतार (सिंगल टियर) में होगी, सिवाय उस कक्ष के जहां कोई पार्श्व मोखा (स्कटल

न हो अथवा ऐसे कक्ष जहाँ कोई पार्श्व मोखा, यदि आसंजित हो, शय्या के बिना आसंजित हो”,

(ग) उप नियम 8 के, —

(i) खंड (ग) के उप खंड (i) का लोप किया जाएगा

(घ) उप नियम (10) में “पीडक जंतु ” शब्दों के

पश्चात् अनुकल्पतः उपयुक्त संवाचित बेस पर आसंजित उचित लचीला गद्दा उपलब्ध कराया जाए” शब्द अन्तः स्थापित किए जाएंगे ।

18. उक्त नियमों के नियम 18 के स्थान पर निम्नलिखित नियम रखा जाएगा, अर्थात् :—

“18 शयन कक्षों में फर्नीचर और फिटिंग —

कुल 1000 टन या अधिक के प्रत्येक पोत में, छठी अनुसूची में निर्धारित मापदंड व विवरण के अनुसार फर्नीचर तथा अन्य उपस्कर उपलब्ध कराए जाएंगे”।

19. उक्त नियमों के नियम 19 के, —

(क) उप-नियम (1) में “100” अंकों के स्थान पर “1000” अंक रखे जाएंगे ।

(ख) उपनियम (2) में “केन्द्रीय सरकार छूट दे सकेगी” शब्दों से आरंभ होने वाले और “परिस्थितियों में अव्यवहारिक” शब्दों पर समाप्त होने वाले भाग का लोप किया जाएगा ।

(ग) उपनियम (3) के स्थान पर निम्नलिखित उपनियम रखा जाएगा, अर्थात् :—

“(3) 1000 टन या अधिक के प्रत्येक पोत में नाविकों (रेटिंग) और पेटी अफसरों के लिए उपलब्ध किया गया भोजन कक्ष, पोत के अधिकारियों के लिए उपलब्ध कराए गए भोजन कक्ष से पृथक होगा” ।

(घ) उप नियम (5) और उपनियम (6) का लोप किया जाएगा ।

20. उक्त नियमों के नियम 20 के, —

(क) उपनियम (4) के स्थान पर निम्नलिखित उपनियम रखा जाएगा, अर्थात् :—

“(4) (अ) ऐसे प्रत्येक पोत में, जिसको यह नियम लागू होते हैं, प्रत्येक भोजन कक्ष या पेंटी में, जो भोजन कक्ष का उपयोग करने वाले कार्मिकों के लिए हर समय खुली रहती है, या उसके समीप है या 1000 टन से कम पोत की दशा में गैली में निम्नलिखित उपस्कर फिट किए जाएंगे :—

(क) एक ड्रेसर या साइडबोर्ड (जो उपनियम (3) के खंड (क) में निर्दिष्ट भंडारण लाकर हो सकता है,

(ख) एक हाट प्रेस (1000 टन से कम पोतों को छोड़कर)

(ग) एक सिंक,

(घ) शीतल पेय जल की आपूर्ति,

(इ) गर्म पेय पदार्थों के लिए पेय जल को गर्म करने के साधन, और

(च) इलेक्ट्रिक टोस्टर,

परन्तु,

“(i) अफसरों और पेटी अफसरों के लिए उपलब्ध कराए गए भोजन कक्ष में साइड बोर्ड भोजन कक्ष में ही उपलब्ध कराया जाएगा ,

(ii) एमे किसी पोत में हाट प्रेस उपलब्ध कराने की आवश्यकता नहीं है जिसमें केंद्रीकृत भोजन व्यवस्था हो, जहाँ गैली का कोई भाग लागू पेंटी या सर्वरी के रूप में आसंजित किया गया हो, जहाँ भोजन ताप पात्रों या हाट प्रेस से युक्त सविंग हैविस के माध्यम से दिया जाता हो,

(आ) खंड (अ) में निर्दिष्ट उपस्करों का आकार भोजन कक्ष का उपयोग करने वाले व्यक्तियों की संख्या के लिए पर्याप्त होगा ।’

21. उक्त नियमों के नियम 21 के, —

(क) उपनियम (i) में, —

(i) “3000” अंकों के स्थान पर “8000” अंक रखे जाएंगे,

(ii) “देशीय व्यवसाय यात्रत, से भिन्न व्यवसाय में नियोजित धूमपान कक्ष” शब्दों के स्थान पर “एक मनोरंजन कक्ष” शब्द रखे जाएंगे ,

(ख) उपनियम (2) का लोप किया जाएगा ;

(ग) उपनियम (5) में “500 टन या अधिक का पोत” शब्दों व अंकों का लोप किया जाएगा,

(घ) उपनियम (7) में, खंड (iii) का लोप किया जाएगा ।

22. उक्त नियमों के नियम 22 में, —

(क) “3000” अंकों के स्थान पर “6000” अंक रखे जाएंगे

23. उक्त नियमों के नियम 23 में, —

(क) उपनियम (1) में, परन्तु के स्थान पर निम्नलिखित परन्तुक रखा जाएगा, अर्थात् :—

“परन्तु 8000 टन से कम के पोतों में, पेटी अफसरों और पेटी अफसरों से भिन्न नाविकों (रेटिंग) को इस नियम के प्रयोजन के लिए एक श्रेणी का माना जाएगा”

(ख) उपनियम (9) में, —

- (i) “स्प्रिंग भारित ड्रा-आफ टेपस” शब्दों के स्थान पर “टेपस” शब्द रखा जाएगा।
- (ii) “500” अंकों के स्थान पर “1000” अंक रखे जाएंगे।

24. उक्त नियम के नियम 24 में, —

(क) उपनियम (2) के स्थान पर निम्नलिखित उपनियम रखा जाएगा, अर्थात्

“(2) इन नियमों के अनुसार फिट किए गए सभी वाश बेसिनों, स्नानागारों और शावरों में गर्म व ठंडे जल की व्यवस्था होगी,

परन्तु स्नानागार या शावर एक साथ होने की दशा में गर्म व ठंडे ताजे जल की व्यवस्था केवल स्नानागार या शावर में करना अपेक्षित होगा और ठंडे ताजे जल की व्यवस्था, ऐसी किन्हीं वाश-बेसिनों में की जाएगी, जो इन नियमों द्वारा अपेक्षित संख्या के अतिरिक्त हैं तथा शयन कक्षों में फिट किए गए हैं।”

(ख) उपनियम (3) में (चाहे खारा या ताजा) कोष्ठकों व शब्दों का लोप किया जाएगा।

25. उक्त नियमों के नियम 25 के,—

(क) उपनियम (2) में “टेपस” शब्दों के पश्चात् “या संभवतः समीप” शब्द अन्तःस्थापित किए जाएंगे।

(ख) उपनियम (3) के पश्चात् निम्नलिखित नया उपनियम जोड़ा जाएगा, अर्थात्:—

“(4) पेय जल का संग्रहण, भराव और वितरण की व्यवस्थाएं इस प्रकार की जाएंगी जिससे किसी संभावित संदूषण की रोकथाम की जा सके। पेय जल टैंकों और अन्य टैंकों जैसे कि तेल और मल टैंक के मध्य काफ़र डैम जैसा शुष्क स्थान उपलब्ध कराया जाएगा। पेय जल टैंक में पेय जल के वहन और वितरण के लिए आवश्यक पाइपिंग को छोड़कर अन्य कोई पाइपिंग नहीं होगी। वायु, भराई और गहराई मापन पाइप डेक से पर्याप्त उपर होंगी।

26. उक्त नियमों के नियम 26 के,—

(क) उपनियम (1) में,

- (i) “500” अंकों के स्थान पर “1600” अंक रखे जाएंगे,
- (ii) “द्रोणी या अन्य सुविधाएं स्थित होंगी” शब्दों से पहले “3000 टन या अधिक के पोतों में” शब्द और अंक अन्तःस्थापित किए जाएंगे।
- (iii) “पृथक लांडरी की व्यवस्था में” शब्दों से आरम्भ होने वाले और “यांत्रिक रूप से प्रचालित चूषण पंप” शब्दों पर समाप्त होने वाले भाग के स्थान

पर “जब पृथक लांडरी की व्यवस्था, परिस्थितियों में अनुचित या अव्यवहारिक हो। द्रोणी या अन्य सुविधाएं, गर्म व ठंडे ताजे जल की पर्याप्त आपूर्ति उपलब्ध कराई जाएंगी और उन्हें इस प्रकार व्यवस्थित किया जाएगा, जिससे उनकी निकासी बाहर हो जाए” शब्द रखे जाएंगे।

(ख) उप-नियम (2) में, “ऐसे प्रत्येक पोत में, जिस पर ये नियम लागू होते हैं,” शब्दों के स्थान पर “3000 टन या अधिक के पोतों में” शब्द और अंक रखे जाएंगे:

(ग) उप-नियम (3) में, “ऐसे प्रत्येक पोत में, जिस पर ये नियम लागू होंगे हैं” शब्दों के स्थान पर “कुल 1000 टन या अधिक के प्रत्येक पोत में” शब्द और अंक रखे जाएंगे।

27. उक्त नियमों के नियम 27 में,—

(क) उप-नियम (1) में, परन्तुक के स्थान पर निम्नलिखित परन्तुक रखा जाएगा, अर्थात्:—

“परन्तु 1600 टन से कम के पोतों के लिए पेंटी अपसरों व पेंटी अपसरों से भिन्न नाविकों (रेटिंग) को इस नियम के प्रयोजन के लिए एक ही श्रेणी का माना जाएगा

(ख) उप-नियम (9) के,—

(i) खंड (क) के उप-खण्ड (i) में “अग्रति में सेंटीमीटर के मुख वाला शब्दों और अंकों का लोप किया जाएगा,

(ii) खंड (ग) में, “एक दश और द्वारा” शब्दों के पश्चात् “स्वच्छता प्रणाली। यदि प्रदूषण विनियमों के उपबन्धों के अधीन अपेक्षित हो, मल की अभिविध्या निकासी के लिए आवश्यक व्यवस्था की जानी है” शब्द रखे जाएंगे:—

(ग) उप-नियम (10) में,—

(i) खंड (छ) के स्थान पर निम्नलिखित खंड रखा जाएगा, अर्थात्:—

“(छ) प्लगिंग के लिए व्यवस्था”

(ii) खंड (झ) के स्थान पर निम्नलिखित खंड रखा जाएगा, अर्थात्:—

“(झ) ऐसे प्रत्येक शौचघर में ताजे जल का नल उपलब्ध कराया जाएगा।”

28. उक्त नियमों के नियम 28 के,—

(1) उप-नियम (3) का लोप किया जाएगा:

(2) उप-नियम (4) में “केन्द्रीय सरकार छुट दे सकेगी” शब्दों से आरम्भ होने वाले और “इस उप-नियम की अपेक्षाओं” पर समाप्त होने वाले भाग का लोप किया जाएगा।

(3) उप-नियम (5) का लोप किया जाएगा,

(4) उप-नियम (6) का लोप किया जाएगा,

(5) उप-नियम (8) का लोप किया जाएगा,

(6) उप-नियम (14) के,—

(i) खंड (क) के,—

(क) उप-खंड (i) के स्थान पर निम्नलिखित उप-खंड रखा जाएगा, अर्थात्:—

“(i) पर्याप्त क्षमता का ओवन,”

(ख) उप-खंड (ii) के स्थान पर निम्नलिखित उप-खंड रखा जाएगा, अर्थात्:—

“(ii) पर्याप्त क्षमता की कुकिंग रेंज किन्तु जिममें कर्मिंदल के प्रत्येक सदस्य के लिए संयुक्त विद्युत भार 0.5 किलो वाट से कम न हो,”

(ii) खंड (ख) को हटा दिया जाएगा।

29. उक्त नियमों के नियम 29 के उप-नियम (5) में,—

(क) “गैली या मशीनरी केंसिंग से संलग्न होगी” शब्दों के पश्चात् जब तक कि शुष्क खाद्य सामग्री कक्ष पर्याप्त तौर से ऊष्मा रोधी न हो” शब्द अन्तःस्थापित किए जाएंगे, “केन्द्रीय सरकार छूट दे सकेगी” शब्दों से आरम्भ होने वाले और “पर्याप्त तौर से ऊष्मा रोधी है” शब्दों पर समाप्त होने वाले भाग का लोप किया जाएगा।

30. उक्त नियमों के नियम 30 के उप-नियम (i) के स्थान पर निम्नलिखित उप-नियम रखा जाएगा, अर्थात्

“(i) प्रत्येक पोत में, विनश्वर खाद्य सामग्री के भंडारण के लिए साधन उपलब्ध कराए जाएंगे। 3000 टन या अधिक के पोतों में इस प्रयोजन के लिए पर्याप्त क्षमता के प्रशीतित शीत कक्ष उपलब्ध कराये जाएंगे। 3000 टन से कम के पोतों में रेफ्रिजरेटरों या बाक्स फ्रीजर्स को शुष्क खाद्य सामग्री कक्ष या गैली के समीप अन्य किसी उपयुक्त स्थान पर रखा जा सकता है।”

31. उक्त नियमों के नियम 31 के,—

(क) उप-नियम (i) में, “ऐसा प्रत्येक पोत, जिस पर ये नियम लागू होंगे हैं” शब्दों के स्थान “16000 टन या अधिक का प्रत्येक विदेशगामी पोत” शब्द रखे जायेंगे,

(ख) उप-नियम (6) के स्थान पर निम्नलिखित उप-नियम रखा जायेगा, अर्थात्:—

“(6) प्रत्येक स्थायी अस्पताल में कम से कम एक तरफ, 30 सेंटीमीटर व्यास वाला एक पार्श्व मोखा फीट किया जाएगा। पार्श्व मोखा को खोला जा सकेगा और उस पर पर्दे, विल्डिस् या वातायन्च्छद लगे होंगे। यदि स्थायी अस्पताल में कृत्रिम प्रकाश व्यवस्था हो और पूर्णतः वातानुकूलित हो या वहां ट्रंकड यांत्रिक संवातन प्रणाली का उपयोग किया जातु हो तो पार्श्व मोखा की आवश्यकता नहीं होगी”।

(ग) उप-नियम (7) का लोप किया जाएगा,

(घ) उप-नियम (17) का लोप किया जाएगा।

32. उक्त नियमों के नियम 32 के उप-नियम (5) का लोप किया जाएगा

33. उक्त नियमों के नियम 39 के पश्चात् निम्नलिखित नियम जोड़ा जाएगा अर्थात्:—

“40 कुल 500 टन से कम और कुल 200 टन से अधिक के पोतों पर नियमों का लागू होना-नियम 3, नियम 6 के उप-नियम (1), (2), और (5), नियम 7 का उप-नियम (1), नियम 8 का उप-नियम (1), नियम 9 का उप-नियम (1), नियम 11 के उप-नियम (1) और और (5), नियम 12 के उप-नियम (1) और (4), नियम 13 के उप-नियम (1) और (2), नियम 14, नियम 15, नियम 16 का उप-नियम (1), नियम 17 का उप-नियम (1), नियम 19 का उप-नियम (1), नियम 20 के उप-नियम (1), (2), (3) और (5) नियम 24 का उप-नियम (1), नियम 25 का उप-नियम (1), नियम 27 का उप-नियम (1), नियम 28 का उप-नियम (1), नियम 29 का उप-नियम (1), नियम 30 का उप-नियम (1), नियम 33 के उप-नियम (1), (2) और (3) नियम 34 के उप-नियम (1), नियम 35, नियम 36, नियम 37, नियम 38, और नियम 39 के उपबंध, जहां तक व्यवहार्य हो कुल 200 टन से अधिक और कुल 500 टन से कम के यांत्रिक रूप से चालित समुद्रगामी पोत पर भी उसी प्रकार लागू होंगे, जिस प्रकार वे कुल 500 टन या अधिक के पोतों पर लागू होते हैं।”

34. उक्त नियमों की तीसरी अनुसूची के,—

(क) उप-पैरा (घ) के पश्चात् निम्नलिखित उप-पैरा जोड़ा जाएगा अर्थात्:—

(इ) “उष्णकटिबंधी या फारस की खाड़ी में नियमित रूप से यात्रा करने वाले प्रत्येक पोत में, यदि कर्मिंदल वास-सुविधा के ऊपर डेक के किसी भाग पर सूर्य की रोशनी पड़ती हो तो ऊष्मा संचरण, जो कि उक्त भागों पर सौर विकिरण की वजह से होता है, को ध्यान में रखते हुए उक्त डेक के नीचले भाग को अतिरिक्त रूप से ऊष्मा रोधी बनाना चाहिए।”

35. उक्त नियमों में चौथी अनुसूची को पांचवी अनुसूची के रूप में पुनः संख्यांकित किया जाएगा और इस प्रकार पुनः संख्यांकित की गई उक्त अनुसूची में पूर्व और तीसरी अनुसूची के पश्चात् निम्नलिखित अनुसूची अन्तःस्थापित की जाएगी, अर्थात्:—

“चौथी अनुसूची”

(नियम 11 देखें)

विद्युत प्रकाश व्यवस्था

परिभाषा:—

किसी स्थान के संबंध में “सामान्य मापन पाइंट” में ऐसे पाइंट अभिप्रेत हैं जो तल से 850 मि.मी. की ऊंचाई

पर मापे जाने पर, निम्नलिखित पाइंटों से सीधी खींची गई अधिकल्पित रेखा पर पड़ने हैं :—

(क) उम स्थान में प्रत्येक 2 समीपवर्ती के बीच प्रत्येक पाइंट,

(ख) लेंप और उम स्थान, जिससे वह लेंप अन्य किसी लेंप के समीप हो, की सीमा पर किसी भी स्थान के बीच, और

(ग) जहाँ निर्बाध पहुंच के लिए उपलब्ध स्थान पर उक्त स्थान की सीमा में बने अस्तः प्रवेशी कोण की वजह से लेंप की सीधी रोशनी न पड़ती हो तो ऐसे स्थान का केन्द्रीय पाइंट।

(क) शयन कक्ष और डे-रूम

- | | |
|---|----------|
| (1) सामान्य मापन पाइंटों पर | 50 लक्ष |
| (2) प्रत्येक दर्पण पर | 200 लक्ष |
| (3) लेखन डेस्क या टेबल की प्रत्येक सीट पर | 150 लक्ष |
| (4) एक से अधिक व्यक्तियों के उपयोग के लिए उपलब्ध कराए गए, शयन कक्ष में में कम से कम आधी सीटों पर (उपर्युक्त) (3) में उल्लिखित सीटों से भिन्न) | 150 लक्ष |

(ख) भोजन कक्ष

- | | |
|-----------------------------|----------|
| (1) सामान्य मापन पाइंटों पर | 100 लक्ष |
| (2) प्रत्येक टेबल व सिक पर | 150 लक्ष |

(ग) मनोरंजन कक्ष (फिल्में व टेलीविजन देखने और रुचिकर्म और खेल कक्ष सहित)

- | | |
|---|----------|
| (1) सामान्य मापन पाइंटों पर | 50 लक्ष |
| (2) प्रत्येक मनोरंजन टेबल पर | 100 लक्ष |
| (3) लेखन डेस्क या टेबल की प्रत्येक सीट पर | 150 लक्ष |

(4) उपर्युक्त (2) में उल्लिखित सीटों से भिन्न कम से कम आधी सीटों पर

(घ) अस्पताल वार्ड :

- | | |
|-----------------------------|----------|
| (1) सामान्य मापन पाइंटों पर | 50 लक्ष |
| (2) किसी भी वाश बेसिन पर | 100 लक्ष |

नियम (11) के उप-नियम (5) द्वारा अपेक्षित विद्युत रीडिंग लेंप के अतिरिक्त प्रत्येक प्र्यूया के शीर्ष पर कम से कम एक ब्रावड (फिक्सड) लेंप लगाया जाएगा।

(ड) कार्यालय और अध्ययन कक्ष :

- | | |
|---|----------|
| (1) सामान्य मापन पाइंटों पर | 100 लक्ष |
| (2) लेखन डेस्क या टेबल की प्रत्येक सीट पर | 200 लक्ष |

(च) कूड़ा रखने का स्थान अस्पताल के कूड़ा रखने

- | | |
|-----------------------------|----------|
| (1) सामान्य मापन पाइंटों पर | 100 लक्ष |
| (2) किसी भी दर्पण पर | 200 लक्ष |

(छ) लांड्री

- | | |
|-----------------------------|----------|
| (1) सामान्य मापन पाइंटों पर | 100 लक्ष |
| (2) स्थान के केन्द्र पर | 50 लक्ष |

(झ) गैली (बेकरी) व पेंट्री सहित

- | | |
|---------------------|----------|
| (1) कार्य स्थलों पर | 300 लक्ष |
|---------------------|----------|
- प्रकाश को इस प्रकार सुव्यवस्थित किया जाएगा, जिससे यह सुनिश्चित किया जा सके कि भोजन तैयार करने की टेबलें, रेंज टॉप्स, सर्विस टेबल और वाशिंग अप सिक पर अधिक से अधिक रोशनी पड़े।

(ज) शुष्क खाद्य सामग्री कक्ष शीत भंडार कक्ष

- | | |
|-----------------------------|----------|
| (1) सामान्य मापन पाइंटों पर | 100 लक्ष |
|-----------------------------|----------|
- प्रकाश को इस प्रकार सुव्यवस्थित किया जाएगा, जिससे यह सुनिश्चित किया जा सके कि शेल्फ व अलमारियों पर अधिक से अधिक रोशनी पड़े।

(ट) गुजरने के रास्ते, सहचर रास्ते और आवृत्त डेक मनोरंजन स्थान :

- | | |
|-----------------------------|---------|
| (1) सामान्य मापन पाइंटों पर | 50 लक्ष |
|-----------------------------|---------|
- निम्नलिखित स्थानों पर लाइट की व्यवस्था होगी :—

(क) सीढ़ी जीने के सिरे में और डेक द्वार मार्ग में, और

(ख) "तलवर्म या कार्य के दौरान पहने जाने वाले वस्त्रों के लिए उपलब्ध कराए गए लकड़ों के दरवाजों पर या उनके समीप"

36. उक्त नियमों में, पांचवीं अनुसूची के पश्चात् निम्न-लिखित अनुसूची जोड़ी जाएगी अर्थात् :—

“छटी अनुसूची”

(नियम 18 देखें)

शयन कक्षों में फर्निचर और फिटिंग

	अफसर	पैटी अफसर	नाविक
झावर : प्रति व्यक्ति	3	2	1
संख्या क्षमता (कुल) क्यूबिक मीटर	0.25	0.10	0.06
वाडरोब : प्रति व्यक्ति संख्या	1	1	1
: ऊंचाई (मीटर)	8000	2000	2000
आंतरिक अनुभागीय क्षेत्र (वर्ग सेंटीमीटर)	1.7	1.7	1.7
प्रत्येक व्यक्ति के लिए कोट हुक्स (वाडरोब में फिट किए गए के अतिरिक्त)	2	1	1
फिक्सड या ड्राप लीफ टाइप डैस्क या स्लाइडिंग लीफ या दराज (झावर)			
चेस्ट पर फिट किया गया टॉप	—	1	1
अतिरिक्त धराजों वाले लेखन डैस्क	1	—	—
प्रत्येक व्यक्ति के लिए आरामदायी सीट	—	1	1
थ्रॉर्म रेस्ट वाली चेयर	1	—	—
सेंटी (सोफा)	1	—	—
प्रसाधन प्रयोजनों के लिए उपयुक्त दर्पण	1	1	1
प्रसाधन सामग्री के लिए कबिनेट	1	1	1
धुक रेक	—	1	1
वुक केस	1	—	—
शय्याओं की प्रत्येक कतार के अंत में जूटया नारियल जटा का रस्तर	—	1	1
ऊँत का कार्पेट रनर	1	—	—
पेय जल बोतल और गिलास के लिए रेक	1	1	—
पेयजल बोतलें	1	1	—
गिलास (प्रत्येक व्यक्ति के लिए)	1	1	—
वाश बेसिन	1	1	—

टिप्पणी :—

- वाडरोब की शेल्फ टाप के नीचे न्यूनतम 20 सेमी. और अधिकतम 40 से.मी. पर फिट किया जाएगा और उसमें ऐसी फिटिंग होगी जिस पर कपड़े टांगे जा सकते हैं।
- पेय जल बोतल और गिलासों के रेक को प्रसाधन सामग्री के कबिनेट के भीतर फिट किया जा सकता है।
- वाश बेसिन, कायाम चीनी मिट्टी या अन्य टिकाऊ सामग्री से बना हुआ होना चाहिए और उसमें जल निकासी के पर्याप्त साधन होने चाहिए। वाश बेसिन के ऊपर की दीवार के लिए स्पलाश बोर्ड उपलब्ध कराया जाएगा।
- ऐसे प्रत्येक शयन कक्ष में, जिसका उपयोग कर्मिंदल के एक से अधिक सदस्य करते हैं, प्रत्येक दराज, लाकर और बोडरोब पर ताला लगाने के साधन उपलब्ध कराए जाएंगे।

5. कुल 1600 टन से कम के पोतों में:—

- (क) दरजों का आकार घटाकर आधा किया जा सकता है,
- (ख) बाइरोल अनुभागीय क्षेत्र को एक तिहाई कम किया जा सकता है।
- (ग) सेटी (सोफा) को व्यवस्था समाप्त की जा सकती है, और
- (घ) पेंटी अफसरो के शयन कक्षों में वाश बेसिनों की व्यवस्था समाप्त की जा सकती है।

6. ऐसे शयन कक्षों में जिनमें शौचाघर हो, ऐसे शौचघरों में वाश बेसिन और प्रसाधन कैबिनेट उपलब्ध कराए जा सकते हैं।

[सं. ए.स. आर. 11012/6/95-एम.ए.]

ए.स. बी. सिंह, अवर सचिव

टिप्पण: मुख्य नियम भारत के राजपत्र में सा.का.नि. 1568 दिनांक 30-12-1960 में प्रकाशित किए गए, में तथा तत्पश्चात् निम्नांकित द्वारा संशोधित किए गए:

1. सा.का.नि. 61 दिनांक 6-1-1967
2. सा.का.नि. 1390 दिनांक 12-12-1974
3. सा.का.नि. 278 दिनांक 1-3-1985
4. सा.का.नि. 339 (अ) दिनांक 29-3-1993

MINISTRY OF SURFACE TRANSPORT

(Shipping Wing)

New Delhi, the 22nd January, 1999

G.S.R. 36.—Whereas a draft of the Merchant Shipping (Crew Accommodation) Amendment Rules 1998 was published, as required by sub-section (1) of section 175 of the Merchant Shipping Act, 1958 (44 of 1958), at pages 112 to 127 in the Gazette of India, Part II, Section 3, Sub-section (i) dated the 21st February, 1998 with notification number G.S.R. 43, dated the 10th February, 1998 inviting objections and suggestions from all persons likely to be affected thereby within a period of forty five days from the date on which the copies of such notification as published in the Gazette of India were made available to the public:

And whereas such Gazette was made available to the public on 21st February 1998.

And whereas no objection or suggestion have been received from the public on the said draft.

Now, therefore, in exercise of the powers conferred by section 175 read with section 457 of the Merchant Shipping Act, 1958 (44 of 1958), the Central Government hereby makes the following rules, namely:—

1. (1) These rules may be called the Merchant Shipping (Crew Accommodation) Amendment Rules, 1999.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Merchant Shipping (Crew Accommodation) Rules, 1960 (hereinafter referred to as the said rules), in rule 1, in sub-rule (3),—

- (a) for the words "They shall apply to", the words "Unless otherwise stated elsewhere

in these rules, they shall apply to" shall be substituted;

- (b) in clause (a), for the figures "200" the figures "500" shall be substituted;

- (c) in the end, the following proviso shall be added namely.—"Provided that the provisions of these rules shall not apply to any ships plying in voyages of short distance, the members of crew of which are not required to stay on board overnight for period exceeding 8 hours."

3. In the said rules, in rule 3,—

- (a) in sub-rule (1), after the figures "100" the words and figures "for ships under 200 metres in length and 1 in 200 for ships 200 metres in length and over" shall be inserted;

- (b) in sub-rule (2), in clause (a), for the figure "153", the figure "100" shall be substituted.

4. In the said rules, in rule 4,—

- (1) in sub-rule (1),—

- (a) for the words "The Central Government may exempt from the requirements of this sub-rule" the words "The requirements of this sub-rule shall not apply to" shall be substituted,

- (b) in clause (g), for the word "it" the words "Central Government" shall be substituted.

(2) in sub-rule (2) and the entries relating thereto, the following shall be substituted, namely:—

- "(2) in every ship of 1000 tons or over, the crew accommodation, other than store

rooms shall be situated amidships or aft as far as practicable. In no such ship any part of crew accommodation, other than store rooms, shall be located forward of the collision bulkhead.”.

5. In the said rules, in rule 5,—

- (a) sub-rule (1) shall be omitted ;
- (b) sub-rule (2) shall be renumbered as sub-rule (1).

6. In the said rule, in rule 6,—

- (a) in sub-rule (1), for the word “watertight”, the word “weathertight” shall be substituted;
- (b) in sub-rule (5), the words “plywood or other” shall be omitted.

7. In the said rules, in rule 7,—

- (a) in sub-rule (1), for the words “other metal” wherever these occur, the words “equivalent material” shall be substituted ;
- (b) in sub-rule (2), for the portion beginning with the words “The Central Government may exempt”, and ending with the words “and harbouring of dirt and vermin.”, the words and brackets “Alternately, the underside of overhead deck shall be insulated with a material (other than wood) which complies with the requirements specified in the Third Schedule and which is so fitted as to avoid as far as possible absorption of water, condensation, transmission of noise and harbouring of dirt and vermin.” shall be substituted.

8. In the said rules, in rule 9,—

in sub-rule (2),—

- (i) in clause (e),—
 - (a) for the figures and words “500 tons or over” the words and figures “under 1000 tons” shall be substituted ;
 - (b) the portion beginning with the words “The Central Government may exempt” and ending with the words “have been made to ensure the safety of the crew” shall be omitted;
- (ii) Clause (k) shall be omitted ;
- (iii) Clause (1) shall be omitted ;
- (iv) in clause (o), for the portion beginning with the words “The Central Government may exempt” and ending with the words “oiltight under service condition.” shall be omitted.

9. In the said rules, in rule 10, in sub-rule (1), the portion beginning with the words “The Central Government may exempt” and ending with the words “with other suitable means of heating” shall be omitted.

10. In the said rules, in rule 11,—

- (a) in sub-rule (1),—
 - (i) for the word “lockers and store rooms” the words “lockers, sanitary accommodation, passageways, offices and store rooms” shall be substituted ;
 - (ii) the portion beginning with the words “The Central Government may exempt” and ending with the words “is unreasonable or impracticable in the circumstances.” shall be omitted ;
- (b) in sub-rule (3), the words “passenger ship”, the word “ship” shall be substituted ;
- (c) in sub-rule (5), the portion beginning with the words “The Central Government may exempt” and ending with the words “provided in the crew accommodation.” shall be omitted ;
- (d) for sub-rule (6) the following sub-rule shall be substituted, namely :—

“(6) The electric lighting in way of the following spaces, that is to say, sleeping rooms, day rooms, recreation rooms, rooms for watching films and television, hobbies and games rooms, mess rooms, hospital wards, offices, studies, sanitary accommodations, laundries, drying rooms, dry provision, store rooms, cold store rooms, galleys, passageways, companionways and covered deck recreation spaces shall be adequate for the purpose of this rule if :—

 - (a) the lamps, paintwork and other surface finishes are new, the illuminance in the horizontal plane when measured at the points specified in respect of that space in the Fourth Schedule is steady and is maintained subject to tolerance of 10 per cent at the value prescribed in that Schedule in respect of these points ; and
 - (b) it complies with any other requirements specified in the Fourth Schedule in respect of that space.”.

11. In the said rules, in rule 12,

- (a) in sub-rule 4, for the words “an electric fan” the words “one or more electric fans” shall be substituted.

12. In the said rules, in rule 12A,—

- (a) in sub-rule (1), after the words “store room”, the words “laundry, drying room, galley, pantries and sanitary accommodation” shall be substituted ;
- (b) in sub-rule (2),—
 - (i) in clause (a), for the words “satisfactory temperature and relative humidity as compared to outside air conditions”, the words and figures “temperature of 28 degrees Celsius with 50 per cent relative humidity when the ambient temperature

is 35 degree Celsius with 70 per cent relative humidity" shall be substituted;

- (ii) in clause (b), for the words "a sufficiency of air changes in all air conditioned spaces" the words and figures "eight air changes per hour in any mess room or recreation room and six air changes in any other room, the amount of the re-circulated air not exceeding 50 per cent at any stage" shall be substituted.

13. In the said rules, in rule 13,—

- (a) in sub-rule 3, for the portion beginning with the words "Provided that no scupper shall be required" and ending with the words "for sole use of one person, shall be omitted.

14. In the said rules, in rule 14,—

- (a) in sub-rule (1), the words "and white or light in colour" shall be omitted;
- (b) in sub-rule (2), the words "lime wash or" shall be omitted.

15. In the said rules, in rule 15, in sub-rule (3), the words "on the ship's structure. The markings shall be cut into the or otherwise marked in an equally permanent manner" shall be omitted.

16. In the said rules, in rule 16,—

(A) in sub-rule (2),—

(i) in clause (a),—

- (a) in sub-clause (iv), the words "of the deck department other than petty officers" shall be omitted;

(b) sub-clauses (v) and (vi) shall be omitted;

(ii) clause (b) shall be omitted;

(B) in sub-rule 3,—

- (i) in clause (b), the words and figure "Wherever practicable 1 person per room and in no event, more than" shall be omitted;

(ii) in clause (e), the words and figure "Wherever practicable 1 person per room and in no event, more than" shall be omitted;

(iii) for clause (f) the following clause shall be substituted, namely:—

"(f) Other ratings—Not more than 4 persons per room in a cargo ship of under 1000 tons and not more than 3 persons per room in a cargo ship of 1000 tons or over and not more than 6 persons per room in a passenger ship."

17. In the said rules, in rule 17,—

(a) in sub-rule (5),—

- (i) in clause (a), after the words "centimetres of" the words "non-insulated" shall be inserted;

(b) for sub-rule (7), the following sub-rule shall be substituted, namely:—

"(7) Beds shall be in a single tier, except in a room which there is no side scuttle or in which there is any side scuttle, if fitted, is fitted clear of the bed."

(c) in sub-rule 8,—

- (i) in clause (c), sub-clause (i) shall be omitted;

- (d) in sub-rule (10), after the word "vermin" the words "alternatively a suitable resilient mattress fitted on a suitable ventilated base may be provided" shall be inserted.

18. In the said rules, for rule 18, the following rule shall be substituted, namely:—

"18. Furniture and fittings in sleeping rooms.—In every ship of 1000 tons gross and over, furniture and other equipment shall be provided in sleeping rooms in accordance with the scale and description prescribed in the Sixth Schedule."

19. In the said rules, in rule 19,—

- (a) in sub-rule (1), for the figures "100" the figures "1000" shall be substituted;

(b) in sub-rule (2), the portion beginning with the words "The Central Government may exempt" and ending with the words "impracticable in the circumstances" shall be omitted;

(c) for sub-rule (3), the following sub-rule shall be substituted, namely:—

"(3) In every ship of 1000 tons or over, the mess room provided for the ratings and petty officers shall be separate from those provided for the officers of the ship."

(b) sub-rule (5) and sub-rule (6) shall be omitted.

20. In the said rules, in 20,—

- (a) for sub-rule (4), the following sub-rule shall be substituted, namely:—

"(4) (A) In every ship to which these rules apply, the following equipment shall be fitted in every mess room or in a pantry readily accessible at all times by the crew using the mess room or adjacent to it, or, in the case of ship under 1000 tons in a galley:—

(a) a dresser or sideboard [which may be the storage locker referred to in clause (a) of sub-rule (3)];

(b) a hot press (except in ships of under 1000 tons);

(c) a sink;

(d) supply of cold drinking water;

(e) means of heating drinking water for hot beverages; and

(f) electric toaster;

Provided that:—

- (i) in a mess room provided for officers and petty officers a side board shall be provided in the mess room itself;

(ii) the hot press need not be provided in any ship with a centralised messing system where a section of the galley is fitted out as pantry or servery with food being provided through serving hatches incorporating bainmaries or hotpresses;

(B) The equipment referred to in the clause (A) shall be adequate in size for the number of persons using the mess room."

21. In the said rules, in rule 21,—

(a) in sub-rule (1),—

- (i) for the figures "3000" the figures "8000" shall be substituted;

(ii) for the words "employed otherwise than on a home trade voyage, a smoking room", the words, "a recreation room" shall be substituted;

(iii) for the word "smoking" the word "recreation" shall be substituted;

- (b) sub-rule (2) shall be omitted;
- (c) in sub-rule (5), the words and figures "being a ship of 500 tons or over" shall be omitted;
- (d) in sub-rule (7), clause (iii) shall be omitted.
22. In the said rules, in rule 22,—
- (a) for the figures "3000" the figures "8000" shall be substituted.
23. In the said rules in rule 23,—
- (a) in sub-rule (1), the proviso shall be substituted by the following proviso, namely :—
- "Provided that in ships of under 8000 tons, petty officers and ratings other than petty officers shall be treated as one class for the purpose of this rule.";
- (b) in sub-rule (9),—
- (i) for the words "Spring loaded draw-off taps", the word "taps" shall be substituted;
- (ii) for the figures "500", the figures "1000" shall be substituted.
24. In the said rules, in rule 24,—
- (a) for sub-rule (2), the following sub-rule shall be substituted, namely :—
- "(2) Hot and cold fresh water shall be laid on to all wash basins, baths and showers fitted in compliance with these rules.
- Provided that in the case of a bath and shower combined, hot and cold fresh water shall be required to be laid on only to the bath or the shower and cold fresh water shall be laid on to any wash-basins which are additional to those required by these rules and are fitted in sleeping rooms.";
- (b) in sub-rule (3), the brackets and words "(whether salt or fresh)" shall be omitted.
25. In the said rules, in rule 25,—
- (a) in sub-rule (2), after the words "taps in" the words "or possibly near" shall be inserted;
- (b) after sub-rule (3), the following new sub-rule shall be added, namely :—
- "(4) The storage, filling and distribution arrangements for drinking water shall be such as to prevent any possible contamination. A dry space such as cofferdam shall be provided between drinking water tanks and other tanks such as oil tanks and sewage tanks. Drinking water tanks shall not contain any piping other than that necessary for the carriage and distribution of drinking water. Air, filling and sounding pipes shall stand sufficiently above the deck."
26. In the said rules, in rule 26,—
- (a) in sub-rule (1);
- (i) for the figures "500", the figures "1600", shall be substituted;
- (ii) before the words "The troughs or other facilities shall be situated" the words and figures "In ships of 3000 tons or over", shall be inserted;
- (iii) the portion beginning with the words "In the provision of a separate laundry" and ending with the words "served by a mechanically operated suction pump.", the words "when the provision of a separate laundry is unreasonable or impracticable in the circumstances. The troughs or other facilities shall be provided with an adequate supply of hot and cold fresh water and shall be so arranged as to discharge over-board." shall be substituted;
- (b) in sub-rule (2), for the words "In every ship to which these rules apply", the words and figures "In ships of 3000 tons or over" shall be substituted;
- (c) in sub-rule (3), for the words "In every ship to which these rules apply" the words and figures "In every ship of 1000 tons gross or over" shall be substituted.
27. In the said rules, in rule 27,—
- (a) in sub-rule (1), for the proviso the following proviso shall be substituted, namely :—
- "Provided that for ships under 1600 tons, petty officers and ratings other than petty officers shall be treated as one class for the purpose of this rule.";
- (b) in sub-rule (9),—
- (i) in clause (a), in sub-clause (ii), the words and figures "with an opening of 10.2 centimetres at the front" shall be omitted;
- (ii) in clause (c), after the words "by an efficient and" the words "hygienic system. If required under the provisions of Pollution Regulations, necessary arrangements to be provided for the treatment and discharge of sewage;" shall be substituted;
- (c) in sub-rule (10),—
- (i) for clause (g), the following clause shall be substituted, namely :—
- "(g) An arrangement for flushing.";
- (ii) for clause (i), the following clause shall be substituted, namely :—
- "(i) Each such water closet shall be provided with a fresh water tap."
28. In the said rules, in rule 28,—
- (1) Sub-rule (3) shall be omitted;
- (2) in sub-rule (4), the portion beginning with the words "The Central Government may exempt" and ending with the words "requirements of this sub-rule." shall be omitted;
- (3) sub-rule (5) shall be omitted;
- (4) sub-rule (6) shall be omitted;
- (5) sub-rule (8) shall be omitted;
- (6) in sub-rule 14,—
- (i) in clause (a),—
- (a) for sub-clause (i), the following sub-clause shall be substituted, namely :—
- "(i) an oven of adequate capacity";
- (b) for sub-clause (ii), the following sub-clause shall be substituted, namely :—
- "(ii) a cooking range of adequate capacity but with combined electrical load of not less than 0.5 KW for each member of the crew.";
- (ii) clause (b) shall be omitted.
29. In the said rules, in rule 29, in sub-rule (5),—
- (a) after the words "shall adjoin a galley or machinery casing" the words "unless dry provisions room is

adequately insulated" shall be inserted, the portion beginning with the words "The Central Government may exempt" and ending with the words "is adequately insulated" shall be omitted.

30. In the said rules, in rule 30, for sub-rule (1) the following sub-rule shall be substituted, namely :—

"(1) in every ship, means shall be provided to store perishable provisions. In ships of 3000 tons or over, refrigerated cold rooms of adequate capacity shall be provided for this purpose. In ships of under 3000 tons refrigerators or box freezers may be located in a dry provision room or galley or any other suitable place close to galley."

31. In the said rules, in rule 31, —

(a) in sub-rule (1), for the words "Every ship to which these rules apply being a ship", the words "Every foreign going ship of 1600 tons or over" shall be substituted;

(b) for sub-rule (6) the following sub-rule shall be substituted, namely :—

"(6) Every permanent hospital shall be fitted on at least on one side with a side scuttle of 30 cm in diameter. Side scuttle shall be capable of being opened and provided with curtain, blinds or jalousies. The requirement of side scuttle shall not apply if the permanent hospital is artificially lighted and fully air conditioned or served by a trunked mechanical ventilation system."

(c) sub-rule (7) shall be omitted;

(b) sub-rule (17) shall be omitted.

32. In the said rules, in rule 32, sub-rule (5) shall be omitted.

33. In the said rules, after rule 39, the following rule shall be added, namely :—

"40. Application of rules to ships under 500 tons gross and above 200 tons gross. The provisions of rule 3, sub-rules (1), (2) and (5) of rule (6), sub-rule (1) of rule (7), sub-rule (1) of rule 8, sub-rule (1) of rule 9, sub-rules (1) and (5) of rule 11, sub-rules (1) and (4) of rule 12, sub-rules (1) and (2) of rule 13, rule 14, rule 15, sub-rule (1) of rule 16, sub-rule (1) of rule 17, sub-rule (1) of rule 19, sub-rules (1), (2), (3) and (5) of rule 20, sub-rule (1) of rule 24, sub-rule (1) of rule 25, sub-rule (1) of rule 27, sub-rule (1) of rule 28, sub-rule (1) of rule 29, sub-rule (1) of rule 30, sub-rules (1), (2) and (3) of rule 33, sub-rule (1) of rule 34, rule 35, rule 36, rule 37, rule 38 and rule 39 shall also apply as far as practicable to sea going mechanically propelled ship of under 500 tons gross and above 200 tons gross as they apply to ships of 500 tons gross or over."

34. In the said rules, in the Third Schedule,—

(a) after sub-paragraph (d) the following sub-paragraph shall be added, namely :—

"(e) In every ship regularly engaged on voyages in the Tropics or the Persian Gulf, if any part of the deck above the crew accommodation is exposed to the sun, additional insulation should be provided underneath such deck, taking into consideration the heat transmission that would otherwise take place to such parts due to solar radiation."

35. In the said rules, Fourth Schedule shall be re-numbered as the Fifth Schedule and before the said Schedule so re-numbered and after the Third Schedule, the following shall be inserted, namely :—

"FOURTH SCHEDULE

(see rule 11)

ELECTRIC LIGHTING

Definition :

"General Measurement Points" means, in relation to any space those points which measured at a height of 850 mm above the floor fall on an imaginary line drawn vertically through the following points :—

(a) every point mid way between every 2 adjacent lamp in that space;

(b) every point mid way between and lamp and any position on the boundary of that space to which that lamp is nearer than any other lamp; and

(c) where any part of the space available for free movement is shielded from the direct rays of a lamp by a re-entrant angle formed in the boundary of that space the central point of the space so shielded.

(A) Sleeping Room and Day Rooms;

- | | |
|--|---------|
| (1) At general measurement points | 50 lux |
| (2) At every Mirror | 200 lux |
| (3) At every seat at a writing desk or table | 150 lux |

(4) At not less than half the seats (other than those mentioned in (3) above) in a sleeping room provided for use of more than one person

150 lux

(B) Mess Rooms;

- | | |
|-----------------------------------|---------|
| (1) At general measurement points | 100 lux |
| (2) At every table and sink | 150 lux |

(C) Recreation Rooms (including for watching films and television hobbies and games room);

- | | |
|-----------------------------------|--------|
| (1) At general measurement points | 50 lux |
|-----------------------------------|--------|

(2) At every recreation table	100 lux
(3) At every seat at a writing desk or table	150 lux
(4) At not less than half the seats other than those mentioned in (3) above	150 lux

(D) Hospital Wards:

(1) At general measurement points	50 lux
(2) At any wash basin	100 lux

At least one fixed lamp shall be installed in addition to the electric reading lamp required by sub-rule (5) of rule (11) to be provided at the head of each bed.

(E) Offices and Studies:

(1) At general measurement points	100 lux
(2) At every seat at writing desk or table	200 lux

(F) Sanitary Accommodation (including sanitary accommodation in hospital):

(1) At general measurement points	100 lux
(2) At any mirror	200 lux

(G) Laundries:

(1) At general measurement points	100 lux
-----------------------------------	---------

(H) Drying Room:

(1) At the centre of space	50 lux
----------------------------	--------

(I) Galleys (including bakeries and pantries):

(1) At working positions	300 lux
--------------------------	---------

The light shall be so disposed as to ensure that food preparation tables range tops serving tables and washing up sink receive the maximum amount of light.

(J) Dry Provision Store Rooms and cold Store Rooms:

(1) At general measurement points	100 lux
-----------------------------------	---------

The lights shall be so disposed as to ensure that shelves and cupboards receive the maximum amount of light.

(K) Passage ways companionways and covered deck recreation spaces:

(1) At general measurement points	50 lux
-----------------------------------	--------

A light shall be placed—

- at the head of each stairway, ladder and hatchway; and
- at or near the doors of lockers provided for oilskins or working clothes."

36. In the said rules after fifth Schedule the following Schedule shall be added namely:—

"SIXTH SCHEDULE

(see rule 18)

Furniture and Fittings in sleeping rooms

		Officers	Petty Officers	Ratings
Drawers	Number per person	3	2	1
	Capacity (Total) cubic metres	0.25	0.10	0.05
Wardrobe	Number per person	1	1	1
	Height (metres)	1.7	1.7	1.7
	Internal Sectional Area (square centimetres)	3000	2000	2000
Coat hooks (in addition to those fitted in wardrobe) for each person		2	1	1

Fixed or drop leaf type desk or sliding leaf or top fitted to a chest of drawers	—	1	1
Writing desk with additional drawers	1	—	—
Comfortable seats for each person	—	1	1
Chair with arm rests	1	—	—
Settees	1	—	—
Mirror suitable for toilet purposes	1	1	1
Cabinet for toilet requisites	1	1	1
Book rack	1	1	1
Book Case	1	—	—
Runner of jute or coir at the end of each tier of beds	—	1	1
Carpet runner of wool	1	—	—
Rack for drinking water bottle and tumblers	1	1	—
Drinking water bottles	1	1	—
Tumblers (for each person)	1	1	—
Wash Basin	1	1	—

Note :

1. The wardrobe shall be fitted with a shelf not less than 20 Cm and not more than 40 Cm below its top and with fittings on which the clothes may be hung.
2. The rack for drinking water bottle and tumblers may be fitted inside the cabinet for toilet requisites.
3. The wash basin to be made of vitreous China or other durable material and should have an efficient means of draining. A splash board shall be provided for a wall above the wash basin.
4. In every sleeping room which accommodates more than one member of crew every drawer locker and wardrobe shall be provided with means of locking.
5. In ships under 1600 tons gross—
 - (a) drawer volumes may be reduced by one-half;
 - (b) wardrobe sectional area may be reduced by one-thirds;
 - (c) requirement of settees may be dispensed with; and
 - (d) requirement of wash basins in petty officers sleeping rooms may be dispensed with.
6. For sleeping rooms with attached private wash rooms items such as wash basin and toilet cabinet may be provided inside such wash rooms."

[No SR.11012/6/95-MA]

S.V. SINGH, Under Secy.

Note :— The Principal rules were published in the Gazette of India vide GSR 1568 dated 30-12-1960 and subsequently amended by :—

1. G.S.R. 61 dated 6-1-1967;
2. G.S.R. 1390, dated 12-12-1974;
3. G.S.R. 278, dated 1-3-1985;
4. G.S.R. 339(E), dated 29-03-1993.

रेल मंत्रालय

(रेलवे बोर्ड)

नई दिल्ली, 7 जनवरी, 1999

सा.का.नि. 37.—केन्द्रीय सरकार, रेल अधिनियम, 1989 (1989 का 21) की धारा 33 की उपधारा (7) के साथ पठित धारा 198 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, रेल दर अधिकरण (अध्यक्ष तथा सदस्यों के वेतन एवं भत्ता तथा सेवा की शर्तें) नियम, 1995 का और संशोधन करने के लिए निम्नलिखित नियम बनाती है, यथा—

1 (1) इन नियमों का संक्षिप्त नाम रेल दर अधिकरण (अध्यक्ष तथा सदस्यों के वेतन एवं भत्ता तथा सेवा की शर्तें) संशोधन नियम, 1998 है।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. रेल दर अधिकरण (अध्यक्ष तथा सदस्यों के वेतन एवं भत्ता तथा सेवा की शर्तें) नियम, 1995 में नियम 8 के पश्चात् निम्नलिखित नियम अन्तः स्थापित किया जाएगा, अर्थात्—

“8A. पेंशन—(1) अधिकरण में अध्यक्ष तथा सदस्य के रूप में नियुक्त प्रत्येक व्यक्ति पेंशन का हकदार होगा।

परन्तु ऐसी कोई पेंशन, यथास्थिति, अध्यक्ष या सदस्य को सदैव नहीं होगी यदि उसने दो वर्ष से कम सेवा की हो।

(2) अध्यक्ष के मामले में, उप नियम (1) के अन्तर्गत पेंशन की गणना सेवा के हर एक संपूरित वर्ष के लिए एक हजार छः सौ रूप प्रतिवर्ष की दर पर की जाएगी, जो इस शर्त के अध्वक्षित होगी कि इस नियम के अन्तर्गत सदैव पेंशन की कुल रकम के साथ-साथ पेंशन के संग्रहीकरण वाले भाग सहित किसी अन्य पेंशन की रकम, यदि कोई हो, जो अधिकरण में उसके द्वारा ली गई हो अथवा जिसके लेने के लिए वह हकदार हो, चार हजार रूप प्रतिमाह से अधिक नहीं होगी।

3. सदस्य के मामले में, उप नियम (1) के अन्तर्गत पेंशन की गणना सेवा के हर एक संपूरित वर्ष के लिए एक हजार एक सौ छियासी रूप प्रतिवर्ष की दर पर की जाएगी जो इस शर्त के अध्वक्षित होगी कि इस नियम के अन्तर्गत सदैव पेंशन की कुल रकम के साथ-साथ पेंशन के संग्रहीकरण वाले भाग सहित किसी अन्य पेंशन की रकम, यदि कोई हो, जो अधिकरण में उसके द्वारा ली गई हो अथवा जिसके लेने के लिए वह हकदार हो, चार हजार रूप प्रतिमाह से अधिक नहीं होगी।

[नं. 90/ई(ओ) II/28/1]

डॉ. पी. त्रिपाठी, सचिव, रेलवे बोर्ड तथा पदेन
चपर सचिव

पाठ टिप्पणी:—मूल नियम सा.का.नि. 566 तारीख 17-10-95 द्वारा अद्वितीय किए गए थे।

MINISTRY OF RAILWAYS

(Railway Board)

New Delhi, the 7th January, 1999

G.S.R. 37.—In exercise of the powers conferred by section 198, read with sub-section (7) of section 33 of the Railways Act, 1989 (24 of 1989), the Central Government hereby makes the following rules further to amend the Railway Rates Tribunal (Salaries

and Allowances and Conditions of Service of Chairman and Members) Rules, 1995, namely:—

1. (1) These rules may be called the Railway Rates Tribunal (Salaries and Allowances and Conditions of Service of Chairman and Members), Amendment Rules, 1998.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Railway Rates Tribunal (Salaries and Allowances and Conditions of Service of Chairman and Members) Rules, 1995 after rule 8, the following rule shall be inserted namely:—

“8A. Pension:—(1) Every person appointed to the Tribunal as a Chairman or a Member shall be entitled to pension:

Provided that no such pension shall be payable to a Chairman or a Member, as the case may be, if he has put in less than two years of service.

(2) In the case of a Chairman, the pension under sub-rule (1) shall be calculated at the rate of rupees one thousand six hundred per annum for each completed year of service, subject to the condition that the aggregate amount of pension payable under this rule together with the amount of any pension including commuted portion of pension, if any, drawn or entitled to be drawn while holding office in the Tribunal, shall not exceed rupees four thousand per mensem.

(3) In the case of a Member, the pension under sub-rule (1) shall be calculated at the rate of rupees one thousand one hundred eighty six per annum for each completed year of service subject to the condition that the aggregate amount of pension payable under this rule together with the amount of any pension including commuted portion of pension, if any, drawn or entitled to be drawn while holding office in the Tribunal, shall not exceed rupees four thousand per mensem.

[No. 90/E(O) II/28/1]

D. P. TRIPATHI, Secy, Railway Board
& ex Officio Addl. Secy.

Foot Note:—The principal rules were published vide number G.S.R. 566, dated 17th October, 1995.

ग्रामीण क्षेत्र एवं रोजगार मंत्रालय

(ग्रामीण विकास विभाग)

नई दिल्ली, 30 दिसम्बर, 1998

सा.का.नि. 38.—सूजी और मैदा श्रेणीकरण और चिन्हांकन नियम, 1998 का प्राव्य कृषि उपज (श्रेणीकरण और चिन्हांकन) अधिनियम, 1937 (1937 का 1) की धारा 3 की अपेक्षानुसार भारत सरकार के ग्रामीण क्षेत्र एवं रोजगार मंत्रालय की अधिमूचना सं.-18011/9/97-एम-II, तारीख 28 अप्रैल, 1998 के अधीन भारत के राजपत्र, भाग II, खंड 3, उपखण्ड (i) के पृष्ठ 388 से 397 पर सा.का.नि.-100 तारीख 23 मई, 1998 को प्रकाशित की गई थी, जिसमें ऐसे सभी व्यक्तियों से, जिसके उससे

प्रभावित होने की संभावना थी, उस तारीख से, जिसको उक्त अधिसूचना में युक्त राजपत्र की प्रतियां जनता को उपलब्ध करा दी जाती हैं, पैतालिस दिन की अवधि की समाप्ति से पूर्व आक्षेप और सुझाव मांगे गये थे,

और उक्त राजपत्र की प्रतियां 3 जून, 1998 को जनता को उपलब्ध करा दी गई थी,

और केन्द्रीय सरकार ने उक्त प्राण्य नियमों की श्रावण जनता से प्राप्त आक्षेपों और सुझावों पर सम्यक रूप से विचार कर लिया है,

अतः अब, केन्द्रीय सरकार उक्त अधिनियम की धारा 3 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए और निम्नलिखित नियम बनाती है, अर्थात्

1. संक्षिप्त नाम.

(1) इन नियमों का संक्षिप्त नाम सूजी और मैदा श्रेणीकरण और चिन्हांकन नियम, 1998 है।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. परिभाषाएं

इन नियमों में जब तक कि संदर्भ से अन्यथा अपेक्षित न हो।

(क) "कृषि विपणन सलाहकार" से भारत सरकार का कृषि विपणन सलाहकार अभिप्रेत है,

(ख) "प्राधिकृत पैकर" से ऐसा व्यक्ति या व्यक्तियों का निकाय अभिप्रेत है, जिसे इन नियमों के उपबन्धों के अनुसार सूजी या मैदा या दोनों का श्रेणीकरण और चिन्हांकन करने के लिए प्राधिकरण प्रमाणपत्र प्रनुदत्त किया गया है,

(ग) "प्राधिकृत प्रमाणपत्र" से साधारण श्रेणीकरण और चिन्हांकन नियम, 1988 के अधीन जारी किया गया प्रमाणपत्र अभिप्रेत है,

(घ) "साधारण श्रेणीकरण और चिन्हांकन नियमों" से कृषि उपज (श्रेणीकरण और चिन्हांकन) अधिनियम, 1937 (1937 का 1) की धारा 3 के अधीन बनाए गए साधारण श्रेणीकरण और चिन्हांकन नियम, 1988 अभिप्रेत है,

(ङ) "श्रेणी अभिधान चिन्ह" से इन नियमों के यथा स्थिति नियम 5 के उपनियम (i) में निर्दिष्ट एगमार्क लेबल या नियम 5 के उपनियम (ii) में निर्दिष्ट एगमार्क प्रतिकृति अभिप्रेत है,

(च) "अनुसूची" से इन नियमों में संलग्न अनुसूची अभिप्रेत है।

3. श्रेणी अभिधान

सूजी और मैदा की क्वालिटी को उपदर्शित करने के लिए श्रेणी अभिधान क्रमशः अनुसूची 2 और 3 के स्तम्भ 1 में यथा विनिर्दिष्ट होंगे।

4. क्वालिटी की परिभाषा

सूजी और मैदा की श्रेणी अभिधान द्वारा उपदर्शित क्वालिटी यह होगी जो क्रमशः अनुसूची 2 और 3 के स्तम्भ 2 से 7 में यथा विनिर्दिष्ट है।

5. श्रेणी अभिधान चिन्ह

श्रेणी अभिधान चिन्ह में निम्नलिखित होगा-

(i) एक लेबल जिस पर उत्पाद का नाम, श्रेणी अभिधान विनिर्दिष्ट होगा और उस पर अनुसूची 1 में दिए गए के सदृश एक डिजाइन जिसमें "एगमार्क" शब्दों के साथ भारत की बाहुय रेखाओं का मानचित्र और उदय हो रहे हुए सूर्य का चित्र होगा;

(ii) "एगमार्क प्रतिकृति" जिसमें प्राधिकार प्रमाणपत्र का संख्यांक सम्मिलित करते हुए एक डिजाइन शब्द "एगमार्क", उत्पाद का नाम, श्रेणी अभिधान होगा और वह अनुसूची 1-क में दिए गए के सदृश होगा;

परन्तु "एगमार्क लेबल" के बदले में "एगमार्क प्रतिकृति" का उपयोग केवल ऐसे प्राधिकृत पैकरों के लिए अनुज्ञात होगा जिन्हें कृषि विपणन सलाहकार या इस संबंध में उसके द्वारा प्राधिकृत किसी अधिकारी द्वारा साधारण श्रेणीकरण और चिन्हांकन नियम, 1988 के अधीन विहित शर्तों के अधीन रहते हुए अनुज्ञा अनुदत्त की गई है।

6. पैक करने की रीति

(1) सूजी और मैदा, जूट, कपड़े बी-ट्यूबल पोलीथिन कागज के ऐसे थैलों में जिनमें 100 माइक्रोन पोलीप्रोपीलीन पालीएथिलीन या किसी अन्य सामग्री जिसे कृषि विपणन सलाहकार अथवा इस संबंध में उसके द्वारा प्राधिकृत किसी अधिकारी द्वारा यथा अनुमोदित किया हो, का अस्तर लगा हो, से बने स्वच्छ मजबूत और शुष्क आधानों में पैक किया जाएगा।

(2) उपभोक्ता पैकेटों की दशा में पालीएथिलीन या पालीप्रोपीलीन जो न्यूनतम 100 माइक्रोन और धारिक पालिएस्टर पाउचों या क्रेता द्वारा यथा अपेक्षित और कृषि विपणन सलाहकार अथवा इस संबंध में उसके द्वारा प्राधिकृत किसी अधिकारी द्वारा अनुमोदित किसी अन्य पैकिंग सामग्री का उपयोग किया जाएगा,

परन्तु यह कि पैकिंग सामग्री का विनिर्माण, खाद्य अप-मिश्रण निवारण नियम, 1955 के अधीन यथा अनुज्ञात खाद्य सेवा सामग्री में किया जाएगा।

(3) आधान कीटघसन, फंफूदी संदूषण, हानिकारक पदार्थों और किसी अव्यक्तनीय या अप्रिय गंध से मुक्त होंगे।

(4) एक ही श्रेणी अभिधान के और एक ही लाट बैच में श्रेणीकृत सामग्री के उपभोक्ता पैकेटों की उपयुक्त संख्या की एक बड़े आधान जैसे कि लकड़ी की पेटी, कार्ड बोर्ड के डिब्बे आदि में इस शर्त के अधीन पैक किया जा सकेगा कि प्रत्येक उपभोक्ता पैक पर समुचित श्रेणी अभिधान चिन्ह लगा हो और बड़े आधान पर लगाए गए टाई-ग्रॉन लेबल पर उनका ब्योरा उपदर्शित हो।

(5) प्रत्येक आधान मजबूती में बंद किया जाएगा और उपयुक्त रूप में मुहरबंद होगा ;

(6) एक पैकेट में पैक किए गए सूजी और मैदा का शुद्ध भार मानक बाट और माप अधिनियम, 1976 या पैक की गई वस्तु नियम, 1977 और समय-समय पर यथा प्रकाशित उनके संशोधनों के अनुसार 100 ग्राम, 200 ग्राम, 500 ग्राम, 1 किलोग्राम, 2 किलोग्राम और 5 किलोग्राम होगा और तत्पश्चात् 5 किलोग्राम के गुणकों में होगा।

7. चिन्हांकन की रीति

(1) श्रेणी अभिधान चिन्ह, प्रत्येक आधान पर मजबूती में चिपकाया जाएगा या स्पष्टतः और अमिट रूप में मुद्रित/स्टेंसिल किया जाएगा;

(2) श्रेणी अभिधान चिन्ह के अतिरिक्त आधान पर निम्नलिखित विशिष्टियां स्पष्ट रूप से और अमिट रूप से चिन्हांकित की जाएंगी;

(i) प्राधिकृत पैकर का नाम और पता,

(ii) पैकिंग का स्थान,

(iii) पैकिंग की तारीख*

(iv) लाट/बैच संख्या,

(v) शुद्ध भार,

(vi) कीमत,

(vii) अवसान की तारीख।

*तमूने का विशेषण पूर्ण किए जाने की तारीख ही पैकिंग की तारीख होगी।

(3) प्राधिकृत पैकर, कृषि विपणन सलाहकार या उसके द्वारा इस निमित्त प्राधिकृत अधिकारी का पूर्व अनुमोदन प्राप्त करने के पश्चात् साधारण श्रेणीकरण और चिन्हांकन नियम, 1988 के नियम 11 के अनुसार श्रेणीकृत आधानों पर अपना प्राइवेट चिन्ह या व्यापार आइ लगाने के लिए।

परन्तु यह तब जबकि वह इन नियमों के अनुसार श्रेणीकृत आधानों पर लगाए गए श्रेणी अभिधान चिन्ह द्वारा उपदर्शित ब्वालिटी या श्रेणी में गिरा उपदर्शित नहीं करता है।

8. प्राधिकृत प्रमाणपत्र अनुदान करने के लिए विशेष शर्तें साधारण श्रेणीकरण और चिन्हांकन नियम, 1988 के नियम 3 के उपनियम (8) में विनिर्दिष्ट शर्तों के अतिरिक्त इन नियमों के अधीन सूजी और मैदा का श्रेणीकरण और चिन्हांकन करने के लिए प्राधिकृत प्रमाण पत्र अनुदान करने के लिए निम्नलिखित अतिरिक्त शर्तें होंगी, अर्थात् :-

(1) प्राधिकृत पैकर सूजी और मैदा की ब्वालिटी का परीक्षण करने के लिए या तो साधारण श्रेणीकरण और चिन्हांकन नियम, 1988 नियम 9 के अनुसार कृषि विपणन सलाहकार या द्वारा इस निमित्त प्राधिकृत अधिकारी द्वारा अनुमोदित अर्हित रसायनज्ञ द्वारा नियंत्रित अपनी प्रयोगशाला स्थापित करेगा या वह इस प्रयोजन के लिए कृषि विपणन सलाहकार या इस निमित्त उसके द्वारा प्राधिकृत अधिकारी द्वारा अनुमोदित किसी राज्य श्रेणीकरण प्रयोगशाला या प्राइवेट वाणिज्यिक प्रयोगशाला से प्राप्त होगी।


(2) सूजी और मैदा के प्रसंस्करण और पैकिंग के लिए प्राधिकृत परिसर पूर्ण रूप से स्वास्थ्यकर और स्वच्छ दशा में रखेगा और इन संक्रियाओं में लगे कर्मिक अच्छे स्वास्थ्य वाले और किसी संक्रामक रोग से मुक्त होंगे।

(3) उत्पादित सूजी और मैदा के प्रत्येक लाट से कृषि विपणन सलाहकार द्वारा अधिकथित की गई विधि में सूजी और मैदा का नमूना लिया जाएगा तथा उसे ऐसी नियंत्रक प्रयोगशाला को भेजा जाएगा, जैसा कि समय-समय पर निर्देशित हो।

अनुसूची—1

[नियम 5(i) देखिए]

एगमार्क लेबल पर डिजाइन



अनुसूची-1-क ,

[नियम 5(ii) देखिए]

एगमार्क प्रतिकृति का डिजाइन



वस्तु का नाम—.....

श्रेणी.....

अनुसूची-2

(नियम 3 और 4 देखिए)

सूजी (रवा) का श्रेणी अभिवान और उसकी क्वालिटी की परिभाषा

श्रेणी अभिवान	क्वालिटी की परिभाषा				
	विशेष लक्षण				
	तमी द्रव्यमान प्रतिशत	कुल भस्म द्रव्यमान प्रतिशत (शुष्क आधार पर)	अम्ल अविलेय भस्म द्रव्यमान प्रतिशत (शुष्क आधार पर)	90% एल्कोहल के साथ एच 2 एस ओ 4 के रूप में अभिव्यक्त एल्कोहली अम्लता (अधिकतम)	ग्लूटेन द्रव्यमान प्रतिशत (शुष्क आधार पर) (न्यूनतम)
1	2	3	4	5	6
श्रेणी I	13.00	0.5	0.05	0.08	8.0
श्रेणी-II	14.0	1.0	0.10	0.15	6.0
साधारण लक्षण					
7					

- (1) सूजी से अभिप्रेत अच्छी क्वालिटी की गेहूं के पेपण से और साफ की गई गेहूं को परिष्करण की विशेष डिग्री तक छानकर और उसे वांछित सीमा तक भूसी, अंकुर आदि से मुक्त करके तैयार किया गया उत्पाद है।
- (2) यह रंग करने वाले अतिरिक्त पदार्थ, कृतक खाल और-उत्सर्ग, कृमि या फफूंदी ग्रसन, किर्मा वायु पदार्थ, फफूंदोदार और प्रचुर गंध से मुक्त होगी तथा पीने की सीमा रंग की होगी।
- (3) इस उत्पाद के अभिलक्षण सुस्वाद और गंध युक्त होंगे और वह पकाने के लिये अच्छी क्वालिटी का होगा।
- (4) यह अच्छी विक्रय दशा में होगी और सभी प्रकार से मानवीय उपभोग के लिये उपयुक्त होगी।
- (5) यह खाद्य अपमिश्रण निवारण अधिनियम, 1954 और नियम, 1955 से यथा विहित अपवाटाक्रियन अंतर्वस्तु, धात्विक संदूषकों और कीटनाशीमार/नाशक जीवमार के अवशेषों से संबंधित निबंधनों के अनुरूप होगी।

टिप्पण: श्रेणी I और II के लिये सारी सूजी 1.16 मि.मी. छिद्रों वाली छलनी से निकाल जायेगी। यदि 0.73 मि.मी. छिद्रों वाली छलनी में 90% से अधिक सूजी म निकले तो उसे बड़े कण चिन्हांकित किया जायेगा। यदि 0.73 मि.मी. छिद्रों वाली छलनी में 10% से अधिक सूजी न रहे तो उसे छोटे कण चिन्हांकित किया जायेगा। किन्तु 0.24 मि.मी. छिद्रों वाली छलनी में 98% से अधिक सामग्री नहीं छनेगी।

अनुसूची-3

(नियम 3 और 4 देखिए)

मैदा का श्रेणी अभिधान और उसकी क्वालिटी की परिभाषा

श्रेणी अभिधान	क्वालिटी की परिभाषा				
	विशेष लक्षण				
	सभी द्रव्यमान प्रतिशत	कुल भस्म द्रव्यमान प्रतिशत (शुष्क आधार पर)	अम्ल अविश्लेष्य भस्म द्रव्यमान प्रतिशत (शुष्क आधार पर)	90% एल्कोहल के साथ (एच 2 एस ओ 4) के रूप में अभिव्यक्त एल्को-हली श्रम्यता द्रव्यमान प्रतिशत (शुष्क आधार पर)	ग्लूटेन द्रव्यमान प्रतिशत (शुष्क आधार पर)
	(अधिकतम)	(अधिकतम)	(अधिकतम)	(अधिकतम)	(न्यूनतम)
1	2	3	4	5	6
श्रेणी-I	12.0	0.5	0.03	0.10	11.0
श्रेणी-II	12.5	0.7	0.05	0.10	9.5
श्रेणी-III	13.5	1.0	0.10	0.12	7.5
साधारण लक्षण					
7					

- (1) मैदा गेहूं के मजबूत और स्वच्छ दामों की पिसाई या पेषण से और परिणामी गेहूं आदि को छानकर और उसके संसाधन से बनाया गया परिष्कृत उत्पाद से अभिप्रेत है।
- (2) इसका रंग सफेद से हल्का भूरा रंग का होगा और उसमें अभिलाक्षणिक स्वाद और गंध होगी।
- (3) यह अपमिश्रण अपद्रव्य, बाह्य पदार्थ जिसमें कुतक बाल और उसगं सम्मिलित है, विकृति गंधी, किरकिराहट, कृमि या फफूंदी ग्रसन, किण्वन, फफूंदीवार या किसी आपत्तिजनक स्वाद या गंध से मुक्त होगी।
- (4) मैदा खाद्य अपमिश्रण निवारण अधिनियम, 1954 और नियम, 1955 में यथा विहित अपलाटार्किशन अंतर्वस्तु धात्विक संतूषकों और कीटनाशीमार/नाशक जीवमार के अवशेषों से संबंधित निर्वन्धनों के अनुरूप होगी।
- (5) उक्त सामग्री की जब सूक्ष्मदर्शी परीक्षा की जाये तो स्टार्च कणों में लाक्षणिक स्टार्च संरचना दक्षित होनी चाहिये।
- (6) यदि उत्पाद को बैकरी के प्रयोजनार्थ प्रयोग किया जाना हो तो लेबल पर उचित घोषणा करते हुए, निम्न-लिखित आटा उपचार कारकों का उनके सामने वर्णित मात्राओं में प्रयोग किया जायेगा अर्थात्—
 - (1) बेन्जोल पैराक्साइड (अधिकतम) 40 पी.पी.एम.
 - (2) पोटेशियम क्रोमेट (अधिकतम) 20 पी.पी.एम.
 - (3) एरकाणिक एसिड (अधिकतम) 200 पी.पी.एम.
- (7) यह अच्छी बिक्र दशा में होगा और सभी प्रकार से मानवीय उपभोग के लिये उपयुक्त होगा।

[फा. सं.-18011/9/97-एम-11]

बी. एन. मिश्र, आर्थिक मन्त्रालय (कृषि विपणन)

MINISTRY OF RURAL AREAS AND EMPLOYMENT

(Department of Rural Development)

New Delhi, the 30th December, 1998

G.S.R. 38.—Whereas draft of the Suji and Maida Grading and Marking Rules, 1998 was published as required by section 3 of the Agricultural Produce (Grading and Marking) Act, 1937 (1 of 1937) under the notification of the Government of India in the Ministry of Rural Areas and Employment No. 18011/97 M-II dated 28th April, 1998 as G.S.R. 100 on pages 388—397 of the Gazette of India, Part II, Section 3, Sub-section (i) dated 23rd May, 1998 inviting objections and suggestions from all persons likely to be affected thereby, before expiry of the period of forty-five days from the date on which copies of the Gazette containing the said notification are made available to the public;

And whereas copies of the said Gazette were made available to the public on 3rd June, 1998;

And whereas the objections and suggestions received from public in respect of the said draft rules have been considered by the Central Government;

Now, therefore, in exercise of the powers conferred by section 3 of the said Act, the Central Government hereby makes the following rules, namely :—

1. Short title.—(1) These rules may be called the Suji and Maida Grading and Marking Rules, 1998.

(2) They shall come into force from the date of their publication in the Official Gazette.

2. Definitions.—In these rules, unless the context otherwise requires,—

(a) "Agricultural Marketing Adviser" means the Agricultural Marketing Adviser to the Government of India;

(b) "Authorised packer" means a person or a body of persons who has been granted a certificate of authorisation to grade and mark the Suji or Maida or both in accordance with the provisions of these rules;

(c) "Certificate of authorisation" means certificate issued under the General Grading and Marking Rules, 1998;

(d) "General Grading and Marking Rules" means the General Grading and Marking Rules, 1988 made under Section 3 of the Agricultural Produce (Grading and Marking) Act, 1937 (1 of 1937);

(e) "Grade designation mark" means the Agmark label referred to in Sub-rule (i) of Rule 5 or the Agmark replica referred to in sub-rule (ii) of Rule 5 of these rules as the case may be;

(f) "Schedule" means a Schedule annexed to these rules.

3. Grade designations.—The Grade designations to indicate the quality of Suji and Maida shall be as specified in column 1 of the Schedule II and III respectively.

4. Definition of quality.—The quality indicated by the grade designation for Suji and Maida shall be as specified in column 2 to 7 of the Schedule II and III respectively.

5. Grade designation mark.—The Grade designation mark shall consist of.—

(i) a label specify name of the produce, grade designation and bearing a design consisting of an outline map of India with word "AGMARK" and figure of the rising sun resembling the one as set out in Schedule-I;

(ii) "Agmark replica" consisting of a design incorporating the number of certificate of authorisation, the word "AGMARK", name of the produce, grade designation and resembling the one as set out in Schedule-I-A provided that the use of "AGMARK" replica in lieu of "AGMARK" labels shall be allowed only to such authorised packers who have been granted permission by the Agricultural Marketing Adviser or an officer authorised by him in this regard,

and subject to the conditions prescribed under the General Grading and Marking Rules, 1998.

6. Method of packing.—(1) Suji and Maida shall be packed in clean, sound and dry containers made of jute, cloth, B-twill/polywoven/paper bags using lining of 100 micron polypropylene/polyethylene or any other material as may be approved by the Agricultural Marketing Adviser or an officer authorised by him in this regard:

(2) In the case of consumer packs polyethylene or polypropylene of minimum 100 micron and metallised polyester pouches or any other packing materials as may be required by the buyer and approved by the Agricultural Marketing Adviser or an officer authorised by him in this regard shall be used, provided that the packing material is manufactured out of food grade materials as permitted under Prevention of Food Adulteration Rules, 1955:

(3) The container shall be free from insect infestation, fungus contamination, deleterious substances and any undesirable or obnoxious smell;

(4) Suitable number of consumer packs containing graded material of the same grade designation and from the same lot/batch may be packed in master containers, such as, wooden cases and cardboard cartons, subject to the condition that such consumer pack shall carry appropriate grade designation mark and the detail thereof shall be indicated on the tie-on label affixed to the master container.

(5) Each container shall be securely closed and suitably sealed;

(6) The net weight of the Suji and Maida packed in a package shall be 100 gm., 200 gm., 500 gm., 1 kg., 2 kg., 5 kg. and thereafter in multiples of 5 kg. as per Packaged Commodities Rules, 1977 or Standards of Weights and Measures Act, 1976 and their amendments published from time to time.

7. Method of Marking.—(1) The grade designation mark shall be securely affixed to or clearly and indelibly printed/stencilled on each container;

(2) In addition to the grade designation mark the following particulars shall be clearly and indelibly marked on the container—

(i) Name and address of the authorised packer;

(ii) Place of packing;

(iii) Date of packing*

(iv) Net weight;

(v) Lot/Batch Number.

(vi) Price (inclusive of all taxes);

(vii) Date of expiry;

*Date of packing shall be the date of completion of analysis of samples.

(3) An authorised packer may after obtaining prior approval of the Agricultural Marketing Adviser or any officer authorised by him in this behalf, in accordance with rule 11 of the General Grading and Marking Rules, 1988, affix his private trade mark or trade brand label on graded containers, provided that the same does not indicate quality or grade other than that indicated by the grade designation mark affixed to the graded container in accordance with these rules.

8. Special conditions for grant of Certificate of Authorisation.—In addition of the conditions specified in sub rule (8) of rule 3 of the General Grading and Marking Rules, 1988, the following shall be the additional conditions for grant of certificate of Authorisation for grading and marking of Suji and Maida under these rules, namely—

(1) The authorised packer shall either set-up his own laboratory manned by qualified chemist approved by the Agricultural Marketing Adviser or an officer authorised by him in this behalf in accordance with rule 9 of the General Grading and Marking Rules, 1988, for testing the quality of Suji and Maida or have access to the State Grading Laboratory or private commercial laboratory approved by the Agricultural Marketing Adviser or an officer authorised by him in this behalf;


(2) The authorised premises for processing and packing of Suji and Maida shall be maintained in perfect hygienic and sanitary conditions and personnel engaged in these operations shall be in sound health and free from any contagious disease;

(3) A sample of Suji and Maida drawn in a manner laid down by the Agricultural Marketing Adviser from each lot of Suji or Maida produced shall be forwarded to such control laboratory as may be directed from time to time.

SCHEDULE I

[See rule 5(i)]


DESIGN ON THE AGMARK LABEL



SCHEDULE I A

[See rule 5 (ii)]

DESIGN OF AGMARK REPLICA



Name of commodity.....

Grade.....

SCHEDULE II

(See Rules 3 and 4)

Grade designations and definition of quality of Suji (Rawa)

Grade designation	Definition of quality					General Characteristics
	Special characteristics					
	Moisture per cent by mass	Total ash per cent on dry mass basis	Acid insoluble ash percentage by mass on dry mass basis	Alcoholic Acidity percentage with 90% alcohol expressed as H ₂ SO ₄ on dry basis	Gluten per cent by mass on dry mass basis	
	(Maximum)	(Maximum)	(Maximum)	(Maximum)	(Minimum)	
	1	2	3	4	5	6
Grade I	13.0	0.5	0.05	0.08	8.0	1. Suji means the product prepared from wheat of good quality by grinding and bolting cleaned wheat to a certain degree of fineness and freeing it from bran, germ etc. to the desired extent.
Grade II	14.0	1.0	0.10	0.15	6.0	2. It shall be free from added colouring matter, rodent hair and excreta, insect and fungal infestation, any foreign matter, musty smell and off odour be creamy, yellow in colour.
						3. It shall have characteristic pleasant taste and smell associated with the product and have good cooking quality.
						4. It shall be in sound and merchantable condition and fit in all respects for human consumption.
						5. It shall comply with the restrictions in regard to aflatoxin content, metal contaminants or insecticides/pesticides residue as prescribed under the Pre.

1	2	3	4	5	6	7
---	---	---	---	---	---	---

vention of Food Adultera-
tion Act, 1954 and Rules,
1955.

Note :- All the suji shall pass through sieve of aperture 1.16 mm. Suji shall be marked large particles when not less than 90% shall be retained on sieve of aperture 0.73 mm.

It shall be marked small particles when not more than 10 per cent of the material shall be retained on aperture 0.73 mm. sieve. However not less than 98% of the material shall be retained on sieve of aperture 0.24 mm.

SCHEDULE III

(See Rules 3 and 4)

Grade designations and definition of quality of Maida

Grade designation	Definition of quality					General characteristics
	Special characteristics					
	Moisture per cent by mass	Total ash per cent on dry mass basis	Acid insoluble ash per cent by dry mass basis	Alcoholic acidity ($H_2^2SO_4$) in 90% Alcohol, per cent by mass on dry mass basis	Gluten per cent by mass on dry mass basis	
	(Maximum)	(Maximum)	(Maximum)	(Maximum)	Minimum)	
1	2	3	4	5	6	7
Grade-I	12.0	0.5	0.03	0.10	11.0	(1) Maida (Wheat flour) means the fine product made by milling or grinding sound and clean grains of wheat and bolting or dressing the resulting wheat meal.
Grade-II	12.5	0.7	0.05	0.10	9.5	
Grade-III	13.5	1.0	0.10	0.12	7.5	

- (2) It shall be whitish to light brown colour having characteristics taste and smell.
- (3) It shall be free from adulterants, impurities extraneous matter including rodent hair and excreta, rancidity, grittiness, insect or fungal infestation fermented, musty or any objectionable taste or odour.
- (4) Maida shall comply with the restrictions in regards to aflatoxin content, metallic contaminants and insecticide/pesticide residues as prescribed under the Prevention of Food Adulteration Act, 1954 and Rules, 1955.
- (5) When the material is subjected to microscopic examination, starch particles should exhibit characteristic starch structure.
- (6) If the product is to be used for bakery purpose, under proper label declaration, the following flour treatment agents in quantities mentioned against each may be used, namely :—
 - (i) Benzoyl peroxide
(Maximum) 40 ppm
 - (ii) Potassium chromate
(Maximum) 20 ppm
 - (iii) Ascorbic Acid
(Maximum) 200 ppm
- (7) It shall be in sound merchantable condition and fit in all respects for human consumption.

श्रम मंत्रालय

(रोजगार और प्रशिक्षण महानिदेशालय)

नई दिल्ली, 18 जनवरी, 1999

सा.का.नि.—39 केन्द्रीय सरकार, शिक्षा अधिनियम, 1961 (1961 का 52) की धारा 37 की उपधारा(1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, और केन्द्रीय शिक्षुता परिषद से परामर्श करने के पश्चात् शिक्षुता नियम, 1991 में एतद्वारा निम्नलिखित नियमों द्वारा और संशोधन किया जाता है, अर्थात्:—

1. (1) इन नियमों का संक्षिप्त नाम शिक्षुता (संशोधन) नियम, 1999 है।

(2) ये राजपत्र में प्रकाशन की तारीख से प्रवृत्त होंगे।

2. शिक्षुता नियम, 1991 की अनुसूची 1 में, ग्रुप सं. 20 के अधीन क्रम सं. 5 और उससे संबंधित प्रविष्टियों के स्थान पर निम्नलिखित रखा जायेगा, अर्थात्:—

1	2	3	4	5	6	7	8
5.	पम्प अपरेटर सह मैकेनिक	845.57 961.70	1 : 4	2 वर्ष	1. पम्प मैकेनिक 2. पम्प अपरेटर सह मैकेनिक	1 वर्ष 1 वर्ष	10 + 2 शिक्षा प्रणाली के अधीन विज्ञान के साथ दसवीं कक्षा पास की हो या इसके समतुल्य

[एफ. सं. डीजीईटी-2(5)/96 ए पी]

सरिता मिस्रल, अवर सचिव

टिप्पणी:—मुख्य नियम भारत के राजपत्र में सा.का.नि. 356 दिनांक 1-8-92, द्वारा प्रकाशित किये गये थे तथा तत्पश्चात् निम्नलिखित द्वारा संशोधित किये गये

का.ग्रा. 2144 दिनांक 9-10-93, सा.का.नि. 497, दिनांक 9-10-93, का.ग्रा. 1041 दिनांक 30-4-94, सा.का.नि. 432 दिनांक 20-8-94, सा.का.नि. 239(अ) दिनांक 23-3-95, सा.का.नि. 433(अ) दिनांक 10-5-95, सा.का.नि. 806(अ) दिनांक 26-12-95, सा.का.नि. 345(अ) दिनांक 31-7-96, सा.का.नि. 390 दिनांक 14-9-96, सा.का.नि. 2650 दिनांक 14-9-96, सा.का.नि. 494 दिनांक 9-11-96, का.ग्रा. 3159 दिनांक 9-11-96, सा.का.नि. 496 दिनांक 9-11-96, सा.का.नि. 521 दिनांक 16-11-96, सा.का.नि. 560(अ) दिनांक 10-12-96, सा.का.नि. 561(अ) दिनांक 10-12-98, का.ग्रा. 860 (अ) दिनांक 10-12-96, सा.का.नि. 269 दिनांक 21-8-97, का.का. 1617 दिनांक 21-6-97, सा.का.नि. 293 दिनांक 10-7-97, सा.का.नि. 338 दिनांक 15-9-97, सा.का.नि. 339 दिनांक 17-9-97, सा.का.नि. 349 दिनांक 4-10-97, सा.का.नि. 691(अ) दिनांक 9-12-97, का.ग्रा. 847(अ) दिनांक 9-12-97, सा.का.नि. 150(अ) दिनांक 25-3-98, सा.का.नि. 88 दिनांक 7-4-98, सा.का.नि. 107 दिनांक 27-5-98, सा.का.नि. 110 दिनांक 4-6-98, सा.का.नि. 123 दिनांक 24-6-98, सा.का.नि. 151 दिनांक 29-7-98, सा.का.नि. 157 दिनांक 7-8-98, सा.का.नि. 534(अ) दिनांक 24-8-98, सा.का.नि. 614(अ) दिनांक 12-10-98

MINISTRY OF LABOUR

(Directorate General of Employment and Training)

New Delhi, the 18th January, 1999

G.S.R. 39.—In exercise of the powers conferred by sub-section (1) of section 37 of the Apprentices Act, 1961 (52 of 1961) and after consulting the Central Apprenticeship Council, the Central Government hereby makes the following rules further to amend the Apprenticeship Rules, 1991, namely:—

1. (1) These rules may be called the Apprenticeship (Amendment) Rules, 1999.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Schedule I to the Apprenticeship Rules, 1991, under Group No. 20, for serial number 5 and the entries related thereto, the following shall be substituted, namely:—

1	2	3	4	5	6	7	8
5	Pump Operator cum Mechanic	845.57 961.70	1:4	2 years	1. Pump Mechanic 2. Pump Operator cum Mechanic	1 year 1 year	Passed in 10th class with Science under 10+2 system of education or its equivalent."

[F. No. DGET-2(5)/96-AP]
SARITA MITTAL, Under Secy.

Note :—The Principal rules were published in the Gazette of India vide GSR 356 dated 1-8-92 and subsequently amended by :—S.O. 2144 dated 9-10-93, GSR 497 dated 9-10-93, S.O. 1041 dated 30-4-94, GSR 432(E) dated 20-8-94, GSR 229(E) dated 23-3-95, GSR 433(E) dated 10-5-95, GSR 806(E) dated 26-12-95, GSR 345(E) dated 31-7-96, GSR 390 dated 14-9-96, GSR 2650 dated 14-9-96, GSR 494 dated 9-11-96, S.O. 3159 dated 9-11-96, GSR 496 dated 9-11-96, GSR 521 dated 16-11-96, GSR 560(E) dated 10-12-96, GSR 561(E) dated 10-12-96, S.O. 860(E) dated 10-12-96, GSR 269 dated 21-6-97, S.O. 161 dated 21-6-97, GSR 293 dated 10-7-97, GSR 338 dated 15-9-97, GSR 339 dated 17-9-97, GSR 349 dated 4-10-97, GSR 691(E) dated 9-12-97, S.O. 847(E) dated 9-12-97, GSR 150(E) dated 25-3-98, GSR 88 dated 7-4-98, GSR 107 dated 27-5-98, GSR 110 dated 4-6-98, GSR 123 dated 24-6-98, GSR 151 dated 29-7-98, GSR 157 dated 7-8-98, GSR 534(E) dated 24-8-98, GSR 614(E) dated 12-10-98.

नई दिल्ली, 18 जनवरी, 1999

सा.का.नि. 40.—केन्द्रीय सरकार, शिक्षा अधिनियम, 1961 (1961 का 52) की धारा 37 की उपधारा(1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए और केन्द्रीय शिक्षता परिषद से परामर्श करने के पश्चात्, शिक्षता नियम, 1991 में और संशोधन करने के लिये निम्नलिखित नियम बनाती है, अर्थात्:—

1. (1) इन नियमों का संक्षिप्त नाम शिक्षता (संशोधन) नियम, 1999 है।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. शिक्षता नियम, 1991 की अनुसूची में समूह सं. 6 और 10 के अधीन क्रमशः क्रम सं. 6 तथा 7 और उससे संबंधित प्रविष्टियों के पश्चात् निम्नलिखित अन्तःस्थापित किया जायेगा, अर्थात्:—

समूह सं. 6—अनुरक्षण व्यवसाय समूह:

1	2	3	4	5
7. मेटिरियल हैंडलिंग	973.35	1:3	3 वर्ष	
इक्विपमेंट (सानग्री	973.40		जिसमें 2 वर्ष का	
उठाई धराई उपस्कर)	973.70		बुनियादी प्रशिक्षण भी	
	974.45		सम्मिलित है।	
मैकेनिक-सह-ऑपरेटर	974.55			
	979.20			
	979.90			

6	7	8
मिलराइट अनुरक्षण मैकेनिक	2 वर्ष	10+2 पद्धति से दसवीं कक्षा या उसके समतुल्य उत्तीर्ण

समूह सं. 10—ताप इंजन व्यवसाय समूह :

1	2	3	4	5
"8. निर्माण मशीनरी मैकेनिक-सह-ऑपरेटर	843.30	1 : 1	3 वर्ष जिसमें 2 वर्ष का	बुनियादी प्रशिक्षण भी सम्मिलित है।
	843.40			
	843.50			
	973.30			
	973.35			
	973.50			
	973.55			
	973.65			
	973.70			
	974.10			
	974.17			
	974.45			
	974.70			
6	7	8		
मोटर यान मैकेनिक	2 वर्ष	10 + 2 पद्धति से दसवी कक्षा का उसके समतुल्य उत्तीर्ण।"		

[एफ.सं. डीजीईटी-23/8(2)/95-ए पी]

सरिता मित्तल, अवर सचिव

टिप्पणी:—मुख्य नियम भारत के राजपत्र में सा.का.नि. 356 दिनांक 1-8-92, द्वारा प्रकाशित किये गये थे तथा तत्पश्चात् निम्नलिखित द्वारा संशोधित किये गये:

का.आ. 2144 दिनांक 9-10-93, सा.का.नि. 497 दिनांक 9-10-93, का.आ. 1041 दिनांक 30-4-94, सा.का.नि. 432 दिनांक 20-8-94, सा.का.नि. 239 (अ) दिनांक 23-3-95, सा.का.नि. 433 (अ) दिनांक 10-5-95, सा.का.नि. 806 (अ) दिनांक 26-12-95, सा.का.नि. 345 (अ) दिनांक 31-7-96, सा.का.नि. 390 दिनांक 14-9-96, सा.का.नि. 2650 दिनांक 14-9-96, सा.का.नि. 494 दिनांक 9-11-96, का.आ. 3159 दिनांक 9-11-96, सा.का.नि. 496 दिनांक 9-11-96, सा.का.नि. 521 दिनांक 16-11-96, सा.का.नि. 560 (अ) दिनांक 10-12-96, सा.का.नि. 561 (अ) दिनांक 10-12-96, का.आ. 860 (अ) दिनांक 10-12-96, सा.का.नि. 269 दिनांक 21-6-97, का.आ. 1617 दिनांक 21-6-97, सा.का.नि. 293 दिनांक 10-7-97, सा.का.नि. 338 दिनांक 16-9-97, सा.का.नि. 339 दिनांक 17-9-97, सा.का.नि. 349 दिनांक 4-10-97, सा.का.नि. 691 (अ) दिनांक 9-12-97, का.आ. 847 (अ) दिनांक 9-12-97, सा.का.नि. 150 (अ) दिनांक 25-3-98, सा.का.नि. 88 दिनांक 7-4-98, सा.का.नि. 107 दिनांक 27-5-98, सा.का.नि. 110 दिनांक 4-6-98, सा.का.नि. 123 दिनांक 24-6-98, सा.का.नि. 151 दिनांक 29-7-98, सा.का.नि. 157 दिनांक 7-8-98, सा.का.नि. 534 (अ) दिनांक 21-8-98, सा.का.नि. 614 (अ) दिनांक 12-10-98.

New Delhi, the 18th January, 1999

G.S.R. 40.- In exercise of the powers conferred by sub-section (1) of section 37 of the Apprentices Act, 1961 (52 of 1961) and after consulting the Central Apprenticeship Council, the Central Government hereby makes the following rules further to amend the Apprenticeship Rules, 1991, namely:—

- (1) These rules may be called the Apprenticeship (Amendment) Rules, 1998.
- (2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Schedule I to the Apprenticeship Rules, 1991, under Group Nos. 6 and 10, after serial number 6 and 7 respectively, and the entries related thereto, the following shall be inserted, namely :—

Group No. 6—Maintenance Trades Group :

1	2	3	4	5
“7.	Material Handling Equipment Mechanic-cum-Operator	973.35, 973.40, 963.70, 974.45, 974.55, 979.20, 979.90.	1:3	3 years including 2 years Basic Training.

6	7	8
Millwright Maintenance Mechanic	2 years	Passed 10th Class examination of 10+2 system or its equivalent.”

Group No. 10—Heat Engines Trades Group :

1	2	3	4	5
“8.	Construction Machinery Mechanic-cum-Operator.	843.30, 843.40, 843.50, 973.30, 973.35, 973.50, 973.55, 973.65, 973.70, 974.10, 974.17, 974.45, 974.70.	1:1	3 years including 2 years Basic Training.

6	7	8
Mechanic Motor Vehicle	2 years	Passed 10th Class examination of 10+2 system or its equivalent.”

[No. F. DGET-23/8(2)/95-AP]
SARITA MITTAL, Under Secy;

Note :—The Principal rules were published in the Gazette of India vide GSR 356 dated 1-8-92 and subsequently amended by :—S.O. 2144 dated 9-10-93, GSR 497 dated 9-10-93, S.O. 1041 dated 30-4-94, GSR 432 dated 20-8-94, GSR 239(E) dated 23-3-95, GSR 433(E) dated 10-5-95, GSR 806 (E) dated 26-12-95, GSR 345 (E) dated 31-7-96 GSR 390 dated 14-9-96,, GSR 2650 dated 14-9-96 GSR, 494 dated 9-11-96, S.O. 3159 dated 9-11-96, GSR 496 dated 9-11-96, GSR 521 dated 16-11-96, GSR 560(E) dated 10-12-96, GSR 561 (E) dated 10-12-96, S. O. 860 (E) dated 10-12-96, GSR 269 dated 21-6-97, S.O. 1617 dated 21-6-97 GSR 293 dated 10-7-97, GSR 338 dated 15-9-97, GSR 339 dated 17-9-97, GSR 349 dated 4-10-97, GSR 691 (E) dated 9-12-97, S.O. 847 (E) dated 9-12-97, GSR 150 (E) dated 25-3-98, GSR 88 dated 7-4-98, GSR 107 dated 27-5-98, GSR 110 dated 4-6-98, GSR 123 dated 24-6-98, GSR 151 dated 29-7-98, GSR 157 dated 7-8-98, GSR 534(E) dated 24-8-98, GSR 614(E) dated 12-10-98,

नई दिल्ली, 18 जनवरी, 1999

सा.का.नि. 41.—केन्द्रीय सरकार, शिक्षा अधिनियम, 1961 (1961 का 52) की धारा 37 की उपधारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, और केन्द्रीय शिक्षता परिषद् से परामर्श करने के पश्चात्, शिक्षता नियम, 1991 में और संशोधन करने के लिये निम्नलिखित नियम बनाती है, अर्थात्:—

1. (1) इन नियमों का संक्षिप्त नाम शिक्षता (संशोधन) नियम, 1998 है।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. शिक्षता नियम, 1991 की अनुसूची 1 में, समूह सं. 26 के अधीन क्रम सं. 3 और उसमें संबंधित प्रविष्टियों के पश्चात् निम्नलिखित अन्तःस्थापित किया जाएगा, अर्थात्:—

1	2	3	4	5	6	7	8
"4. केश और त्वचाकेयरर	560. 10 560. 30	1 : 10	2 वर्ष	केश और त्वचा रख रखाव	1 वर्ष	10 + 2 शिक्षा पद्धति के अन्तर्गत 10वीं कक्षा परीक्षा जिसमें विज्ञान एक विषय के रूप में रखा हो या उसके समतुल्य उत्तीर्ण।"	

[एफ.सं. डीजीईटी-23(8)(3)/95-ए पी]
सरिता मिश्र, अवर सचिव

टिप्पणी:—मुख्य नियम भारत के राजपत्र में सा.का.नि. 356 दिनांक 1-8-92 द्वारा प्रकाशित किये गये थे तथा तत्पश्चात् निम्नलिखित द्वारा संशोधित किये गये:

का.आ. 2144 दिनांक 9-10-93, सा.का.नि. 497 दिनांक 9-10-93, का.आ. 1041 दिनांक 30-4-94, सा.का.नि. 432 दिनांक 20-8-94, सा.का.नि. 239 (अ) दिनांक 23-3-95, सा.का.नि. 433 (अ) दिनांक 10-5-95, सा.का.नि. 806(अ) दिनांक 26-12-95, सा.का.नि. 345(अ) दिनांक 31-7-96, सा.का.नि. 390 दिनांक 14-9-96, सा.का.नि. 2650 दिनांक 14-9-96 सा.का.नि. 494 दिनांक 9-11-96, का.आ. 3159 दिनांक 9-11-96, सा.का.नि. 496 दिनांक 9-11-96, सा.का.नि. 521 दिनांक 16-11-96, सा.का.नि. 560(अ) दिनांक 10-12-96, सा.का.नि. 561 (अ) दिनांक 10-12-96, का.आ. 860 (अ) दिनांक 10-12-96, सा.का.नि. 269 दिनांक 21-6-97, का.आ. 1617 दिनांक 21-6-97, सा.का.नि. 293 दिनांक 10-7-97, सा.का.नि. 338 दिनांक 15-9-97, सा.का.नि. 339 दिनांक 17-9-97, सा.का.नि. 349 दिनांक 4-10-97, सा.का.नि. 691(अ) दिनांक 9-12-97, का.आ. 847(अ) दिनांक 9-12-97, सा.का.नि. 150(अ) दिनांक 25-3-98, सा.का.नि. 88 दिनांक 7-4-98, सा.का.नि. 107 दिनांक 27-5-98, सा.का.नि. 110 दिनांक 4-6-98, सा.का.नि. 123 दिनांक 24-6-98, सा.का.नि. 151 दिनांक 29-7-98, सा.का.नि. 157 दिनांक 7-8-98, सा.का.नि. 534(अ) दिनांक 24-8-98, सा.का.नि. 614(अ) दिनांक 12-10-98.

New Delhi, the 18th January, 1999

GSR 41.—In exercise of the powers conferred by sub-section (1) of section 37 of the Apprentices Act, 1961 (52 of 1961) and after consulting the Central Apprenticeship Council, the Central Government hereby makes the following rules further to amend the Apprenticeship Rules, 1991, namely:—

1. (1) These rules may be called the Apprenticeship (Amendment) Rules, 1998.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Schedule I to the Apprenticeship Rules, 1991, under Group No. 26, after serial number 3 and the entries related thereto, the following shall be inserted, namely :—

1	2	3	4	5	6	7	8
4.	Hair and Skin Carer	560.10 560.30	1;10	2 years	Hair and Skin Care	1 year	Passed in 10th class with Science under 10+2 system of education or its equivalent."

[F.No. DGET 23(8)(3)/95-AP]
SARITA MITTAL, Under Secy.

Note :—The Principal rules were published in the Gazette of India GSR 356 dated 1-8-92 and subsequently amended by :—

S.O. 2144 dated 9-10-93, GSR 497 dated 9-10-93, S.O. 1041 dated 30-4-94, GSR 432 dated 20-8-94, GSR 239(E) dated 23-3-95, GSR. 433(E) dated 10-5-95, GSR 806(E) dated 26-12-96, GSR 345(E) dated 31-7-96 GSR 390 dated 14-9-96, GSR 2650 dated 14-9-96 GSR 494 dated 9-11-96, S.O. 3159 dated 9-11-96, GSR 496 dated 9-11-96, GSR 521 dated 16-11-96, GSR 560(E) dated 10-12-96, GSR 561(E) dated 10-12-96, S.O. 860(E) dated 10-12-96, GSR 269 dated 21-6-97, S.O. 1617 dated 21-6-97 GSR 293 dated 10-7-97, GSR 338 dated 15-9-97, GSR 339 dated 17-9-97, GSR 349 dated 4-10-97, GSR 691(E) dated 9-12-97, S.O. 847 (E) dated 9-12-97, GSR 150(E) dated 25-3-98, GSR88 dated 7-4-98 GSR 107 dated 27-5-98, GSR 110 dated 4-6-98, GSR 123 dated 24-6-98, GSR 151 dated 29-7-98 GSR 157 dated 7-8-98, GSR 534(E) dated 24-8-98, GSR 614(E) dated 12-10-98.